



Ladder Type




Perforated Type


Perforated Type Cable Tray (PTCT)



Return Flange



Inward Bend




Width From 50 mm to 1000 mm  
Depth From 20 mm to 150 mm  
Thickness From 1 mm to 3 mm


Length From 2500 mm to 3000 mm  
Painted / H.D. Galvanised / Pre Galvanised  
Material M.S. / G.I. / Aluminium

## Accessories PTCT



Vertical Outside Elbow




Equal Reducer  
W1




Vertical Inside Elbow



90° Horizontal Bend




Perforated Horizontal Cross Piece






Perforated Tee

## Ladder Type Cable Tray (LTCT)




W-150mm to 1000 mm  
 H-50 mm to 150 mm  
 T-from 10 SWG to 16 SWG  
 B-from 10 mm to 25 mm  
 RW-from 30 to 50 mm  
 RH-from 10 mm to 20 mm


## ACCESSORIES LTCT



Vertical Elbows




## Coupler Plates




Coupler Plates (CTC) Typical for Lader type and perforated Type Trays

In order to maintain proper earth continuity bond, painting surface in contact between coupler and cable tray shall be scrapped at the time of installation.

## Cable Duct / Trunking




Channel / Plain Type





Multi Compartment Type

## BOLTED TYPE LADDER CABLE TRAY



Lenght	2500 mm to 3000 mm
Width	50 mm to 600 mm
Height	50 mm to 150 mm
Thickness	1 mm to 3 mm
Finish	Painted/Pre-Galvanised Powder Coated
Material	M.S. / G.I. / Aluminium

## Raised Cover



Section AA  
(18 Gauge / 16 Gauge G.I. Sheet Cover  
2500 mm / 3000 mm Long)

# Wattera Industries

Unit No.101/102/103, Krisha Industrial Estate, Near Old Jivdani Industrial Estate,  
Dhumal Nagar, Waliv, Vasai (E), Maharashtra - 401208 • Tel No: +91-22-32267672 / +91-22-28084439  
Email : [info@wattera.in](mailto:info@wattera.in) | Website: [www.wattera.in](http://www.wattera.in)