


THE HEARTBEAT *of* HOMES.



 **BAJAJ**
Inspiring Trust



Bajaj Appliances has been an integral part of Indian households for the last 77 years. Our commitment in providing quality products at affordable prices has led to the brand growing from strength to strength. This has been achieved by an extensive network, sourcing and logistical advantages, uncompromising dedication and a constant effort to innovate. An extensive range of domestic appliances to suit every need makes life a lot easier for everyone involved. Providing a happier home is where the Bajaj heart is.









Contents

Irons

<i>Steam Irons</i>	1
<i>Dry Irons</i>	6

Coolers

<i>Desert Coolers</i>	14
<i>Window Coolers</i>	17
<i>Personal Coolers</i>	18

Water Heaters

<i>Storage Water Heaters</i>	23
<i>Instant Water Heaters</i>	26
<i>Gas Water Heaters</i>	28

Room Heaters

<i>Oil Filled Radiators (OFRS)</i>	29
<i>Blower/Fan Heaters</i>	34
<i>PTC Room Heaters</i>	37
<i>Halogen Radiant Room Heaters</i>	39
<i>Radiant Room Heaters</i>	40

Emergency Lights

42



IRONS

MAJESTY AERO

Steam Irons

- Cordless iron with detachable power base
- Ceramic coated sole plate for easy glide
- Vertical ironing to cater to hanging clothes/curtains
- Variable steam output to cater to different types of clothes
- Powerful steam burst for tough creases
- Water spray facility for stubborn creases
- Can work as a dry iron
- Comfortable rubber grip on handle
- Self-cleaning facility for a longer life



MX 25 STEAM IRON

- *Non-stick coated sole plate for easy glide*
- *1250 W for instant heating*
- *Self-cleaning facility for a longer life*
- *330ml water tank capacity for more clothes per ironing*
- *Anti-drip facility to prevent water leakage at any temperature*
- *Powerful steam burst & water spray facility for stubborn creases*
- *Anti-calc facility to avoid clogging of pores.*
- *360° swivel cord for easy manoeuvring & longer cord life*
- *2 year warranty*



MX 30 STEAM IRON

- *Non-stick coated sole plate for easy glide*
- *1840 W for instant heating*
- *Self-cleaning facility for a longer life*
- *300ml water tank capacity for more clothes per ironing*
- *Anti-drip facility to prevent water leakage at any temperature*
- *Powerful steam burst & water spray facility for stubborn creases*
- *Anti-calc facility to avoid clogging of pores*
- *360° swivel cord for easy manoeuvring & longer cord life*
- *2 year warranty*



MAJESTY RAVE

- Vertical ironing to cater to hanging clothes/curtains
- Variable steam output to cater to different types of clothes
- Powerful steam burst for tough creases
- Water spray facility for stubborn creases
- Can work as a dry iron
- Rubber grip on thermostat knob and handle
- Self-cleaning facility for a longer life



MX 4 STEAM IRON

- 1250 W for quick heating
- Non-stick coated sole plate for easy glide
- Vertical ironing to cater to hanging clothes/curtains
- Variable steam output to cater to different types of clothes
- Powerful steam burst & water spray facility for stubborn creases
- Light weight, cool touch body with comfortable rubber grip
- Self-cleaning facility for a longer life
- 360° swivel cord to reach all corners of the cloth
- 180ml water tank
- Safety plus: thermal fuse
- Approved by BIS (ISI Marked)



MX 8 STEAM IRON

- 30% extra long cord
- Non-stick coated sole plate for easy gliding on clothes
- Vertical ironing to cater to hanging clothes/curtains
- Variable steam output to cater to different types of clothes
- Powerful burst of steam for tough creases
- 19 steam vents for uniform steam distribution
- Water spray facility for stubborn creases
- Can work as a dry iron
- Self-cleaning facility for a longer life
- Approved by BIS (ISI Marked)



MX 7 STEAM IRON

- Non-stick coated sole plate for easy glide
- Vertical ironing to cater to hanging clothes/curtains
- 15 steam vents for uniform steam distribution
- Variable steam output to cater to different types of clothes
- 12gms of steam output
- Powerful burst of steam for tough creases
- Water spray facility for stubborn creases
- Can work as a dry iron
- Lightweight, cool-touch body with comfortable grip
- Self-cleaning facility for a longer life
- Approved by BIS (ISI Marked)



MX 5 STEAM IRON

- *Non-stick coated sole plate for easy glide*
- *Vertical ironing to cater to hanging clothes/curtains*
- *23 steam vents for uniform steam distribution*
- *Variable steam output to cater to different types of clothes*
- *Powerful burst of steam for tough creases*
- *Water spray facility for stubborn creases*
- *Can work as a dry iron*
- *Self-cleaning facility for a longer life*
- *Approved by BIS (ISI Marked)*



MX 3 STEAM IRON

- *Non-stick coated sole plate for easy glide*
- *Vertical ironing to cater to hanging clothes/curtains*
- *Variable steam output to cater to different types of clothes*
- *Powerful burst of steam for tough creases*
- *23 steam vents for uniform steam distribution*
- *Water spray facility for stubborn creases*
- *Can work as a dry iron*
- *Self-cleaning facility for a longer life*
- *Approved by BIS (ISI Marked)*



MX 20 STEAM IRON

- Non-stick coated sole plate for easy glide
- Vertical ironing to cater to hanging clothes/curtains
- Variable steam output to cater to different types of clothes
- Powerful burst of steam for tough creases
- 19 steam vents for uniform steam distribution
- Water spray facility for stubborn creases
- Can work as a dry iron
- Self-cleaning facility for a longer life
- Approved by BIS (ISI Marked)



INSTA LIFT IRON

- "American Heritage" Teflon coating on soleplate from Dupont, USA for easy glide
- Unique and patented design
- Auto-lift feature: Lifts up from the front once released, to avoid burning of clothes
- Cool-touch body
- Ergonomically designed comfortable hand grip
- Heavyweight
- Approved by BIS (ISI Marked)

Dry Irons



ESTEELA IRON

- "American Heritage" Teflon coating on soleplate from Dupont, USA for easy glide
- Cool-touch body
- Ergonomically designed comfortable hand grip
- Approved by BIS (ISI Marked)



SAFETY
THERMAL
FUSE



DX 8 IRON

- "American Heritage" Teflon coating on soleplate from Dupont, USA for easy glide
- Cool-touch body



SAFETY
THERMAL
FUSE



DX 7 IRON

- "American Heritage" Teflon coating on soleplate from Dupont, USA for easy glide
- Approved by BIS (ISI Marked)



SAFETY
THERMAL
FUSE



LIGHT
WEIGHT



360
SWIVEL
CORD



NEW DX 4 IRON

- "American Heritage" Teflon coating on soleplate from Dupont, USA for easy glide
- Approved by BIS (ISI Marked)



SAFETY
THERMAL
FUSE



LIGHT
WEIGHT



360
SWIVEL
CORD



DHX 9 IRON

- "American Heritage" Teflon coating on soleplate from Dupont, USA for easy glide
- Heavyweight
- Approved by BIS (ISI Marked)



SAFETY
THERMAL
FUSE



DX 5 IRON (TEFLON)

- Superior classic soleplate coating from Dupont, USA for easy glide
- Approved by BIS (ISI Marked)



SAFETY
THERMAL
FUSE



LIGHT
WEIGHT



360
SWIVEL
CORD



DX 3 IRON

- Superior classic soleplate coating from Dupont, USA for easy glide
- Approved by BIS (ISI Marked)



GLIDER IRON

- "American Heritage" Teflon coating on soleplate from Dupont, USA for easy glide
- Approved by BIS (ISI Marked)



POPULAR PLUS IRON

- Superior classic soleplate coating from Dupont, USA for easy glide
- Approved by BIS (ISI Marked)



SAFETY
THERMAL
FUSE



POPULAR IRON

- "American Heritage" Teflon coating on soleplate from dupont, USA for easy glide
- Approved by BIS (ISI Marked)
- Also available in 1000 W



SAFETY
THERMAL
FUSE



NEW LIGHT WEIGHT

- "American Heritage" Teflon coating on soleplate from Dupont, USA for easy glide
- Approved by BIS (ISI Marked)



DX 2 IRON

- "American Heritage" Teflon coating on soleplate from Dupont, USA for easy glide
- Non-stick coated sole plate
- Extra lift at the back for easy gliding on clothes
- Cool-touch handle with comfortable grip
- Approved by BIS (ISI Marked)



AUTO STANDARD IRON

- Heavyweight iron
- Copper, nickel & chrome-plated mirror finish sole plate



MAJESTY ONE DRY IRON

- Unique glide edge technology for hassle-free reverse ironing
- 1000 W for quick heating
- 25% extra long cord - for a convenient ironing experience
- Fabric selection knob - for customized heating options
- 2 way LED indicator
- Non-stick coated golden colour sole plate
- 360° swivel cord
- 2 year warranty
- Ergonomically designed comfortable hand grip.
- Safety plus: Thermal fuse
- Approved by BIS (ISI Marked)
- Free silicon mat





COOLERS

DC 2016 GLACIER

- Powerful mega size cooler with international styling
- Mega water tank capacity - 67L for longer cooling with continuous water supply system
- Powerful air flow with air delivery of 5800 cubic meter/hr. (peak), 3500 cubic metres/hr. (average)
- Large cooling capacity of 750 sq.ft. with powerful air throw of 90 ft.
- Ideal for big halls, banks, offices and restaurants
- Made of attractive, corrosion-free engineering and thermoplastic material for durable performance

Desert Coolers



Length	Width	Height
640mm	550mm	1110mm



DC 70 DLX

- Latest state-of-the-art design with ultra modern look
- Powerful air flow with air delivery of 5600 cubic meter/hr. (peak), 3300 cubic metres/hr. (average)
- Large water tank capacity - 70L with continuous water supply system
- Large cooling capacity of 600 sq.ft. with powerful air throw of 80 ft.
- Corrosion-free, thermally re-engineered plastic body
- Ideal for big halls, banks, offices & restaurants



Length	Width	Height
640mm	470mm	1025mm



DC 2015 ICON

- Unique iconic design and styling with optional colour trim
- Large water tank capacity - 43L for longer cooling with continuous water supply system
- Powerful air flow with air delivery of 4000 cubic meter/hr. (peak), 3000 cubic metres/hr. (average)
- Large cooling capacity of 600 sq.ft. with powerful air throw of 50 ft.
- Special wood wool evaporative pads
- Suitable for dry and arid climates. Ideal for big halls, banks, offices & restaurants
- Made of attractive, corrosion-free engineering and thermoplastic material for durable performance



Length	Width	Height
570mm	400mm	1090mm



DC 2015 ICON DIGITAL

- Remote control, ergonomically configured digital control panel & inbuilt memory function
- If the cooler is switched off by control buttons or by power cuts, all the previous settings except timer remain active/functional, when switched on again
- Timer 1hr., 2hr. & 8hr.
- Unique iconic design and styling with optional colour trim
- Large water tank capacity - 43L for longer cooling with continuous water supply system
- Powerful air flow with air delivery of 4000 cubic meters/hr. (peak), 3000 cubic metres/hr. (average)
- Large cooling capacity of 600 sq.ft. with powerful air throw of 50 ft.
- Special wood wool evaporative pads
- Suitable for dry and arid climates. Ideal for big halls, banks, offices & restaurants
- Made of attractive, corrosion-free engineering and thermoplastic material for durable performance



Length	Width	Height
570mm	400mm	1090mm



3 WAY
SPEED
CONTROL



WORKS ON
INVERTER



BED LEVEL
AIR THROW



QUIET
PERFORMANCE



FOUR WAY
AIR
DEFLECTION



CASTER
WHEELS
FOR EASY
MOBILITY

DC 2009 SLEEQ

- Sleek and stylishly designed desert cooler
- Powerful air flow with air delivery of 4075 cubic meters/hr. (peak), 3200 cubic metres/hr. (average)
- Large water tank capacity - 46L with continuous water supply system
- Large cooling capacity of 600 sq.ft. with powerful air throw of 40 ft.
- Multiple speed control
- Water level indicator
- Made of attractive, corrosion-free engineering and thermoplastic material for durable performance



Length	Width	Height
630mm	400mm	1100mm



BED LEVEL
AIR THROW



QUIET
PERFORMANCE



FOUR WAY
AIR
DEFLECTION



CASTER
WHEELS
FOR EASY
MOBILITY

MD 2020

Window Coolers

- Sturdy design, corrosion-free, thermally re-engineered plastic body
- Large water tank capacity - 54L with continuous water supply system
- Powerful air flow with air delivery of 3600 cubic meters/hr. (peak), 1800 cubic metres/hr. (average)
- Large cooling capacity of 400 sq.ft. with powerful air throw of 80 ft.
- Ideal for living rooms, bedrooms & offices

Length	Width	Height
655mm	545mm	565mm



SB 2003

- Compact/sleek looks, and corrosion-free, thermally re-engineered plastic body
- Large water tank capacity - 32L
- Powerful air flow with air delivery of 1750 cubic meters/hr. (peak), 1200 cubic metres/hr. (average)
- Powerful air throw of 50 ft. with cooling capacity of 200 sq.ft.
- Auto water level controller

Length	Width	Height
560mm	500mm	410mm



TC 2007

Personal Coolers

- Latest state-of-the-art design, sleek and all new ultra modern looks
- Powerful air flow with air delivery of 1800 cubic meters/hr. (peak), 1300 cubic metres/hr. (average)
- Large water tank capacity - 37L
- Easy to read water level indicator
- Dust protection screen
- Corrosion-free, thermally re-engineered plastic body
- Suitable for all climates and coastal regions
- Ideal for bedrooms & offices

Length	Width	Height
465mm	308mm	840mm



FRIO

- Powerful air flow with air delivery of 2600 cubic meters/hr. (peak), 1000 cubic metres/hr. (average)
- Large water tank capacity - 21L up to brim - 23L
- Powerful air throw of 30 ft. with cooling capacity of 150 sq.ft.
- Auto water level indicator
- Drain plug
- Ice box top water inlet & ice chamber
- Honeycomb cooling media, easy removable pads

Length	Width	Height
445mm	340mm	780mm



TC 2008

- Latest state-of-the-art design, sleek & all new ultra modern looks
- Powerful air flow with air delivery of 1900 cubic meters/hr. (peak), 1400 cubic metres/hr. (average)
- Large water tank capacity - 26L
- Easy to read water level indicator
- Made of attractive, corrosion-free engineering and thermoplastic material for durable performance
- Suitable for all climates and coastal regions
- Ideal for bedrooms & offices



Length	Width	Height
390mm	390mm	1000mm



PC 2012

- Unique oval design and international styling
- Powerful air flow with air delivery of 2040 cubic meters/hr. (peak), 1200 cubic metres/hr. (average)
- Water tank capacity - 20L
- Easy to read water level indicator
- Made of attractive, corrosion-free engineering thermoplastic material for durable performance
- Suitable for all climates and coastal regions
- Ideal for bedrooms & offices



Length	Width	Height
450mm	400mm	900mm



PC 2000 DLX

- Latest state-of-the-art design, sleek and all new ultra modern looks
- Powerful air flow with air delivery of 1500 cubic meters/hr. (peak), 800 cubic metres/hr. (average)
- Large water tank capacity - 15L
- Easy to read water level indicator
- Humidity control valve
- Made of attractive, corrosion-free engineering and thermoplastic material for durable performance
- Suitable for all climates and coastal regions
- Ideal for bedrooms & offices



Length	Width	Height
455mm	420mm	655mm



**3 WAY
SPEED
CONTROL**



**WORKS ON
INVERTER**



**QUIET
PERFORMANCE**



**FOUR WAY
AIR
DEFLECTION**



**CASTER
WHEELS
FOR EASY
MOBILITY**

PCF 25 DLX

- Powerful air flow with air delivery of 1100 cubic meters/hr. (peak), 1300 cubic metres/hr. (average)
- Large water tank capacity - 20L up to brim - 24L
- Powerful air throw of 18 ft. with cooling capacity of 150 sq.ft.
- Auto water level indicator
- Drain plug
- Back water inlet
- Honeycomb cooling media, easy removable pads



Length	Width	Height
390mm	370mm	710mm



**3 WAY
SPEED
CONTROL**



**WORKS ON
INVERTER**



**FOUR WAY
AIR
DEFLECTION**



**CASTER
WHEELS
FOR EASY
MOBILITY**

PX 100 DC

- Unique iconic design and styling with optional colour trim
- Powerful air flow with air delivery of 4000 cubic meters/hr. (peak), 3000 cubic metres/hr. (average)
- Large water tank capacity - 43L for longer cooling with continuous water supply system
- Powerful air throw of 50 ft. with cooling capacity of 600 sq.ft.
- Special wood wool evaporative pads
- Suitable for dry and arid climates.
- Ideal for big halls, banks, offices & restaurants
- Made of attractive, corrosion-free engineering and thermoplastic material for durable performance



Length	Width	Height
570mm	400mm	1090mm



PX 93 DC DLX

- Stylish desert cooler with ultra-modern look
- Powerful air flow with air delivery of 5500 cubic meters/hr. (peak), 3300 cubic metres/hr. (average)
- Large water tank capacity - 48L with continuous water supply system
- Powerful air throw of 80 ft. with cooling capacity of 600 sq.ft.
- Powerful aerodynamic air delivery
- Honeycomb cooling media
- Ideal for big halls, banks, offices & restaurants
- Made of attractive, corrosion-free engineered and thermoplastic material for durable performance



Length	Width	Height
650mm	545mm	905mm



PX 97 TORQUE

- Low noise all season air cooler with fan
- Powerful air flow with air delivery of 2000 cubic meters/hr. (peak), 1300 cubic metres/hr. (average)
- Large water tank capacity - 36L
- Powerful air throw of 30 ft. with cooling capacity of 150 sq.ft.
- Special wood wool evaporative pads
- Powerful three side surround cooling
- Made of attractive, corrosion-free engineering and thermoplastic material for durable performance
- Ideal for bedrooms & offices



Length	Width	Height
455mm	435mm	820mm



FOUR WAY
AIR
DEFLECTION



CASTER
WHEELS
FOR EASY
MOBILITY

PX 96 PCR

- Unique oval design and international styling with remote
- 7 hrs. timer
- Powerful air flow with air delivery of 2040 cubic meters/hr. (peak), 1200 cubic metres/hr. (average)
- Large water tank capacity - 20L
- Powerful air throw of 25 ft. with cooling capacity of 150 sq.ft.
- Easy to read water level indicator
- Made of attractive, corrosion-free engineering and thermoplastic material for durable performance
- Suitable for all climates and coastal regions
- Ideal for bedrooms & offices



Length	Width	Height
450mm	400mm	900mm



3 WAY
SPEED
CONTROL



FOUR WAY
AIR
DEFLECTION



CASTER
WHEELS
FOR EASY
MOBILITY

WATER HEATERS



CALENTA WATER HEATER

- Available in 6L, 10L, 15L, and 25L variants
- Ergonomically styled plastic body
- Unique temperature indicator dial
- 2000 W model
- Suitable for high-rise buildings (8 Bar)
- Adjustable thermostat
- Magnesium anode for extra protection from corrosion and leakage

	Height	Width	Length
6L	405mm	258mm	263mm
10L	382mm	329mm	334mm
15L	482mm	333mm	339mm
25L	550mm	375mm	383mm

Storage Water Heaters



CALDIA WATER HEATER

- Available in 6L, 10L, 15L, and 25L variants
- 2000 W model
- Suitable for high-rise buildings (8 Bar)
- Ergonomically styled plastic body
- Rust proof external body
- Fire retardant cable
- Alluring design
- Special anti-corrosion protection device
- Multiple safety systems

	Height	Width	Length
6L	400mm	275mm	288mm
10L	448mm	322mm	347mm
15L	520mm	322mm	347mm
25L	585mm	372mm	397mm



MAJESTY GMH WATER HEATER

- Available in 15L and 25L variants
- Designed in a special pre-coated steel body
- 2000 W model
- Special protection device to keep element and tank corrosion-free
- High efficiency and long life incoloy heating
- Fire retardant cable with 3 pin plug
- Neon indicators for power and heating status
- Suitable for high-rise buildings (8 bar)
- Adjustable thermostat

	Height	Width	Length
15L	300mm	530mm	320mm
25L	300mm	759mm	320mm



NEW SHAKTI WATER HEATER

- Available in 10L, 15L, and 25L variants
- 2000 W model
- Suitable for high-rise buildings (8 Bar)
- Rust proof external body
- Adjustable thermostat
- Magnesium anode for extra protection from corrosion and leakage
- Unique temperature indicator dial



	Height	Width	Length
10L	361mm	315mm	335mm
15L	461mm	315mm	335mm
25L	523mm	361mm	383mm



SHAKTI GPV WATER HEATER

- Available in 10L, 15L, and 25L variants
- 2000 W model
- Suitable for high-rise buildings (8 Bar)
- Rust proof external body
- Adjustable thermostat
- Magnesium anode for extra protection from corrosion and leakage
- Unique temperature indicator dial



	Height	Width	Length
10L	415mm	325mm	345mm
15L	515mm	325mm	345mm
25L	615mm	370mm	390mm



MAJESTY HORIZONTAL WATER HEATER

- Available in 10L, 15L, and 25L variants
- 2000 W model
- Suitable for high-rise buildings (8 Bar)
- Ergonomically styled plastic body
- Rust proof external body
- PUF Insulation
- Convertible from wall mounting to floor mounting
- Right wall / Left wall mounting options



	Height	Width	Length
10L	315mm	510mm	330mm
15L	315mm	655mm	330mm
25L	315mm	935mm	330mm



CALENTA INSTANT WATER HEATER

Instant Water Heaters

- Pressure and temperature controlling faucet
- Step-less wattage selection, between 0 to 4.5 kW
- Auto test function for detecting electrical abnormality
- Reset function to set the appliance on a normal mode, rendering it ready for use
- ELCB and earthing, reducing chance of any electrical hazards
- Functions well even under low water pressure
- Fixed wall mounted or flexible unfixed hand shower, can be chosen as per convenience
- Adjustable shower water settings, to control the water flow



Height	Width	Length
406mm	230mm	102mm



FLORA INSTANT WATER HEATER

- Available in 1L and 3L variants
- Available in 3 kW and 4.5 kW rating
- Fire retardant cable
- Corrosion proof thermoplastic external body
- Efficient heating element for longer life
- Neon indicator for 'power on' and 'heating function'
- Multiple safety systems
- Suitable for high-rise buildings
- ISI approved

	Height	Width	Length
1L	335mm	200mm	180mm
3L	388mm	151mm	151mm



MAJESTY INSTANT WATER HEATER

- Available in 1L and 3L variants
- Available in 3 kW and 4.5 kW rating
- High impact resistant engineered plastic body
- Efficient heating element for longer life
- Neon indicator for 'power on' and 'heating function'
- Multiple safety systems
- Suitable for high-rise buildings
- ISI approved

	Height	Width	Length
1L	336mm	162mm	162mm
3L	370mm	202mm	202mm



DUPLA GAS WATER HEATER

- Pre-coated steel body
- Advanced combustion technology for best thermal efficiency
- Burner setting facility to save energy
- Thick heat exchanger made of copper
- Adjustable regulating knob for water flow/gas intensity
- Flame failure protection device
- Dry heat protection
- Thick heat copper exchanger

	Height	Width	Length
6L	440mm	300mm	130mm

Gas Water Heaters



DUETTO GAS WATER HEATER

- Pre-coated steel body
- Advanced combustion technology for best thermal efficiency
- Burner setting facility to save energy
- Thick heat copper exchanger
- Auto ignition
- Overheat protection cut-off
- Inlet water flow sensor
- Dry heat protection

	Height	Width	Length
6L	470mm	130mm	295mm



ROOM HEATERS



MAJESTY OFR RH 11F Plus

OFRs

- 11 fins with three heat settings:
1000 W / 1500 W / 2500 W
- With 400 W PTC ceramic fan heater, fan heater for faster heating
- International design and styling
- Adjustable thermostat for desired temperature
- Noiseless operation
- Caster wheels for easy mobility
- Cord winder
- Built-in handle
- Quadra safety assurance
 - Thermostat
 - Manual thermal cutout
 - Auto thermal cutout
 - Safety tilt switch to safeguard against improper installation



MAJESTY OFR RH 9F Plus

- 9 fins with three heat settings:
800 W / 1200 W / 2000 W
- With 400 W PTC ceramic fan heater, fan heater for faster heating
- International design and styling
- Adjustable thermostat for desired temperature
- Noiseless operation
- Caster wheels for easy mobility
- Cord winder
- Built-in handle
- Quadra safety assurance
 - Thermostat
 - Manual thermal cutout
 - Auto thermal cutout
 - Safety tilt switch to safeguard against improper installation



MAJESTY OFR RH 9 Plus

- Three heat settings: 800 W / 1200 W / 2000 W
- Power ON neon indicator
- International design and styling
- Adjustable thermostat for desired temperature
- Noiseless operation
- Caster wheels for easy mobility
- Cord winder
- Built-in handle
- Quadra safety assurance
 - Thermostat
 - Manual thermal cutout
 - Auto thermal cutout
 - Safety tilt switch to safeguard against improper installation



MAJESTY OFR 13F (RH13F)

- 13 fins with three heat settings:
1000 W / 1500 W / 2500 W
- With 400 W PTC ceramic fan heater fan for faster heating
- Adjustable thermostat for desired temperature
- Noiseless operation
- Caster wheels for easy mobility
- Quadra safety assurance
 - Thermostat
 - Safety tilt switch for proper installation
 - Manually reset thermal cutout
 - Auto-reset thermal cutout
- Approved by BIS (ISI Marked)



MAJESTY OFR 13 (RH13)

- 13 fins with three heat settings:
1000 W / 1500 W / 2500 W
- Adjustable thermostat for desired temperature
- Noiseless operation
- Caster wheels for easy mobility
- Quadra safety assurance
 - Thermostat
 - Safety tilt-switch for proper installation
 - Manually reset thermal cutout
 - Auto-reset thermal cutout
- Approved by BIS (ISI Marked)



MAJESTY OFR 11F (RH11F)

- 11 fins with three heat settings:
1000 W / 1500 W / 2500 W
- With 400 W PTC ceramic fan heater fan for faster heating
- Adjustable thermostat for desired temperature
- Noiseless operation
- Caster wheels for easy mobility
- Quadra safety assurance
 - Thermostat
 - Safety tilt switch for proper installation
 - Manually reset thermal cutout
 - Auto reset thermal cutout
- Approved by BIS (ISI Marked)



MAJESTY OFR 11 (RH11)

- 11 fins with three heat settings:
1000 W / 1500 W / 2500 W
- Adjustable thermostat for desired temperature
- Noiseless operation
- Caster wheels for easy mobility
- Quadra safety assurance
 - Thermostat
 - Safety tilt switch for proper installation
 - Manually reset thermal cutout
 - Auto-reset thermal cutout
- Approved by BIS (ISI Marked)



MAJESTY OFR 9F (RH9F)

- 9 fins with three heat settings:
800 W / 1200 W / 2000 W
- With 400 W PTC ceramic fan heater fan for faster heating
- Adjustable thermostat for desired temperature
- Noiseless operation
- Caster wheels for easy mobility
- Quadra safety assurance
 - Thermostat
 - Safety tilt switch for proper installation
 - Manually reset thermal cutout
 - Auto-reset thermal cutout
- Approved by BIS (ISI Marked)



MAJESTY OFR 9 (RH9)

- 9 fins with three heat settings:
800 W / 1200 W / 2000 W
- Adjustable thermostat for desired temperature
- Noiseless operation
- Caster wheels for easy mobility
- Quadra safety assurance
 - Thermostat
 - Safety tilt switch for proper installation
 - Manually reset thermal cutout
 - Auto-reset thermal cutout
- Approved by BIS (ISI Marked)



MAJESTY RX11

Blower/Fan Heaters

- Two heat settings: 1000 W / 2000 W
- Adjustable thermostat for desired temperature
- Triple safety assurance
 - Thermostat
 - Auto thermal cutout
 - Thermal fuse
- Approved by BIS (ISI Marked)



MAJESTY RX10

- Two heat settings: 1000 W / 2000 W
- Adjustable thermostat for desired temperature
- Two-way installation
 - Vertical
 - Horizontal
- Triple safety assurance
 - Thermostat
 - Auto thermal cutout
 - Thermal fuse
- Approved by BIS (ISI Marked)



MAJESTY RX8 HEAT CONVECTOR

- Two heat settings: 1000 W / 2000 W
- Cool-touch handle for easy mobility
- Adjustable height
- Adjustable thermostat for desired temperature
- Dual safety assurance
 - Thermostat
 - Automatic thermal safety cutout
- Approved by BIS (ISI Marked)



MAJESTY RX7

- Three heat settings: 600 W / 1200 W / 2000 W
- Cool-touch handle for easy mobility
- Adjustable height
- Automatic thermal safety cutout
- Approved by BIS (ISI Marked)



MAJESTY RFX2

- Two heat settings: 1000 W / 2000 W
- Cool-touch body
- Quadra safety assurance
 - Thermostat
 - Safety tilt switch for proper installation
 - Manually reset thermal cutout
 - Auto-reset thermal cutout
- Approved by BIS (ISI Marked)



MAJESTY RFX1

- Two heat settings: 1000 W / 2000 W
- Adjustable thermostat for desired temperature
- Dual-purpose: heater in winter and personal fan in summer
- Cool-touch housing
- Quadra safety assurance
 - Thermostat
 - Safety tip against tilting
 - Auto thermal cutout
 - Thermal Fuse



BLOW HOT

- Two heat settings: 1000 W / 2000 W
- Automatic thermal cutout for safety
- Approved by BIS (ISI Marked)



MAJESTY RPX7 PTC

PTC Room Heaters

- PTC technology for lower power consumption
- Two heat settings: 1000 W / 2000 W
- Adjustable thermostat for desired temperature
- Wall mount unit
- Triple safety assurance
 - Thermostat
 - Thermal cutout
 - Thermal fuse
- Approved by BIS (ISI Marked)



MAJESTY RPX16 PTC

- PTC technology for lower power consumption
- Two heat settings: 1000 W / 1800 W
- Adjustable thermostat for desired temperature levels
- Neon indicator for power and heating
- Quadra safety assurance
 - Thermostat
 - Thermal cutout
 - Thermal fuse
 - Safety tilt switch for proper installation
- Approved by BIS (ISI Marked)



MAJESTY RPX15 PTC

- PTC technology for lower power consumption
- Two heat settings: 900 W / 1800 W
- Adjustable thermostat for desired temperature levels
- Neon indicator for power and heating
- Triple safety assurance
 - Thermostat
 - Thermal cutout
 - Safety tilt switch for proper installation
- Approved by BIS (ISI Marked)



MAJESTY RPX12 PTC

- PTC technology for lower power consumption
- Two heat settings: 1000 W / 2000 W
- Adjustable thermostat for desired temperature
- Neon indicator for power and heating
- Quadra safety assurance
 - Thermostat
 - Thermal cutout
 - Thermal fuse
 - Safety tilt switch for proper installation
- Approved by BIS (ISI Marked)



HALOGEN HEATER RHX2

- Two heat settings: 500 W / 1000 W
- Noiseless operation
- Dual safety device
 - Safety tip over switch against tilting
 - Thermal fuse
- Approved by BIS (ISI Marked)

Halogen Heaters



CARBON HEATER CHX DUO PLUS

- Two heat settings: 500 W / 1000 W
- Lesser illumination during operation
- Superior technology
- International design and styling
- Noiseless operation
- Dual safety assurance
 - Safety tip against tilting
 - Thermal fuse



DELUX ROOM HEATER

- Two heat settings: 1000 W / 2000 W
- Tilting legs
- SS reflector
- Approved by BIS (ISI Marked)

Radiant Heaters



FLASHY ROOM HEATER

- *Compact and stylish design*
- *SS reflector*
- *Approved by BIS (ISI Marked)*



MINOR ROOM HEATER

- *Nickel chrome plated mesh grid*
- *Tilting legs*
- *SS reflector*
- *Bright nickel chrome plated reflector*
- *Approved by BIS (ISI marked)*



EMERGENCY LIGHTS



ELX 36 LED EMERGENCY LIGHT

- Rechargeable 36 LED lights
- 8 W LED
- Overcharge protection
- Over discharge protection
- Discharge duration: 10-12 hrs
- Minimum & maximum charging voltage (110V AC - 270V AC)
- 6V, 4.5 Ah rechargeable battery
- Intensity : 500Lm
- Double-sided illumination



13-15 HOURS
CHARGING TIME



50000 Hrs*
OF LED LIFE



36 LED



SMPS TECHNOLOGY
(SMOOTH CHARGING)



BRIGHT CHROME-PLATED REFLECTOR

ELX16 LED EMERGENCY LIGHT

- Rechargeable 16 LED lights
- 5 W LED
- Overcharge protection
- Over discharge protection
- Discharge duration: 5-6 hrs
- Minimum & maximum charging voltage (110V AC - 270V AC)
- 4V, 2.5 Ah rechargeable battery
- Intensity : 350Lm



EMERGENCY LIGHT ELX10

- 6V 4.5Ah maintenance free rechargeable battery
- Discharge duration: tube 3-4 hrs
- Discharge and over-protection








Bajaj Electricals Limited

REGISTERED OFFICE: 45/47, Veer Nariman Road, Mumbai - 400 001.
Tel: 022-2204 3841, 2204 5046, 2204 534. Fax: 022-2285 1279.

CORPORATE OFFICE: 701, Rustomjee Aspiree, Bhanu Shankar Yagnik Marg,
Off Eastern Express Highway, Sion (E), Mumbai 400 022. Tel: 022 2406 4000.

Customer service: 022 - 4128 0000 / 1800 102 5963 (Toll Free) | shop.bajajelectricals.com |  | 

CIN: L31500MH1938PLC009887