



HAVELLS



CONSUMER LIGHTING

PRICE LIST w.e.f. 1st July, 2017

New Product Introduction


Brightfill Filament LED



Florid LED



Night Lite Adore LED



Prospot Swivel LED Spotlight



Horizon



Adore LED Deep Spot



Trim LED Panel



Meadows Wall Light



LED Batten Triyca



Gate Arch Lights




Sana Wall Light



LED Batten Curve



Pendant Lights



Glaze Wall Light



Stylo Wall Light



Solis



Beemer 50



Rayline Emergency Light



Digital LED Strip



Glanz Solar





INDEX

CONSUMER LIGHTING



Consumer LED Luminaires

8



Consumer Luminaires

24



Home Décor Lighting Collection

36



LED Lamps, CFL & FTL

46



Torches & Lantern Range

54



Consumer LED Luminaires

Ultra modern and minimalistic designs with a decorative edge. This range consists of smart edge lit panels, COB spotlights, recess mounted and surface fixtures in timeless finishes, round and square shapes, most appropriate for modern spaces. The range also offers lighting solutions for low ceiling heights.

ASTRAL ROUND

Environmental friendly aesthetically designed, decorative recess mounted 2W LED spot light for low ceiling height applications.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
2W LED 3000K	LHEEBCPBUH1W002	9405	350/-	40
2W LED 4000K	LHEEBCPDUH1W002	9405	350/-	40
2W LED 6000K	LHEEBCPGUH1W002	9405	350/-	40

Ceiling cutout ø 34 mm, height 27 mm.



ADORE LED DEEP SPOT

3W deep spot light for low ceiling application. Also available in color option of Red, Green and Blue.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
ADORE LED 3W DEEP SPOT 3000K	LHEEBCPBUN1W003	9405	450/-	10
ADORE LED 3W DEEP SPOT 6000K	LHEEBCPFUN1W003	9405	450/-	10
ADORE LED 3W DEEP SPOT RED	LHEEBCP1UN1R003	9405	450/-	10
ADORE LED 3W DEEP SPOT BLUE	LHEEBCP1UN1B003	9405	450/-	10
ADORE LED 3W DEEP SPOT GREEN	LHEEBCP1UN1G003	9405	450/-	10

Ceiling cutout ø 46 mm, height 47 mm.



PROSPOT COB

New Prospot COB swivel spotlight. A beautifully designed accent light with a high efficiency heat sink and crisp light throw.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
4W LED 3000K	LHEEAXPBUG1W004	9405	990/-	06
4W LED 4000K	LHEEAXPDUG1W004	9405	990/-	06
4W LED 6000K	LHEEAXPFUG1W004	9405	990/-	06
6W LED 3000K	LHEEAXPBUG1W006	9405	1185/-	06
6W LED 4000K	LHEEAXPDUG1W006	9405	1185/-	06
6W LED 6000K	LHEEAXPFUG1W006	9405	1185/-	06
9W LED 3000K	LHEEAXPBUG1W008	9405	1385/-	06
9W LED 4000K	LHEEAXPDUG1W008	9405	1385/-	06
9W LED 6000K	LHEEAXPFUG1W008	9405	1385/-	06
12W LED 3000K	LHEEAXPBUG1W011	9405	1980/-	06
12W LED 4000K	LHEEAXPDUG1W011	9405	1980/-	06
12W LED 6000K	LHEEAXPFUG1W011	9405	1980/-	06
15W LED 3000K	LHEEAXPBUG1W015	9405	2240/-	06
15W LED 4000K	LHEEAXPDUG1W015	9405	2240/-	06
15W LED 6000K	LHEEAXPFUG1W015	9405	2240/-	06
18W LED 3000K	LHEEAXPBUG1W018	9405	2580/-	06
18W LED 4000K	LHEEAXPDUG1W018	9405	2580/-	06
18W LED 6000K	LHEEAXPFUG1W018	9405	2580/-	06

Ceiling cutout ø 76 mm, height 56±2 mm for 4W. Ceiling cutout ø 76 mm, height 56±2 mm for 6W.

Ceiling cutout ø 98 mm, height 63±2 mm for 9W. Ceiling cutout ø 98 mm, height 63±2 mm for 12W.

Ceiling cutout ø 122 mm, height 75±2 mm for 15W. Ceiling cutout ø 122 mm, height 75±2 mm for 18W.



Consumer LED Luminaires

LED RANGE - RECESS

CRYSTA COB FIXED

Crysta chip on board (COB) fixed downlight with crisp light throw and high CRI. High lumen output with robust heat sink for best in class heat management.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
10W LED 3000K	LHEBKHPBIE1W010	9405	1385/-	06
10W LED 4000K	LHEBKHPDIE1W010	9405	1385/-	06
15W LED 3000K	LHEBKHPBIE1W015	9405	1980/-	06
15W LED 4000K	LHEBKHPDIE1W015	9405	1980/-	06
20W LED 3000K	LHEBKHPBIE1W020	9405	2460/-	06
20W LED 4000K	LHEBKHPDIE1W020	9405	2460/-	06

Ceiling cutout ø 94 mm, height 68 mm for 10W. Ceiling cutout ø 123 mm, height 81 mm for 15W.

Ceiling cutout ø 158 mm, height 92 mm for 20W.



CRYSTA COB SWIVEL

Crysta chip on board (COB) swivel downlight with crisp light throw and high CRI. The swivel feature allows you to direct light as per requirement.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
3W LED 3000K	LHEEGEPBIE1W003	9405	695/-	12
3W LED 4000K	LHEEGEPDIE1W003	9405	695/-	12
6W LED 3000K	LHEEGEPBIE1W006	9405	895/-	12
6W LED 4000K	LHEEGEPDIE1W006	9405	895/-	12
9W LED 3000K	LHEEGEPBIE1W009	9405	1195/-	12
9W LED 4000K	LHEEGEPDIE1W009	9405	1195/-	12
12W LED 3000K	LHEEGEPBIE1W012	9405	1600/-	12
12W LED 4000K	LHEEGEPDIE1W012	9405	1600/-	12
18W LED 3000K	LHEEGEPBIE1W018	9405	1900/-	06
18W LED 4000K	LHEEGEPDIE1W018	9405	1900/-	06
24W LED 3000K	LHEEGEPBIE1W024	9405	2390/-	06
24W LED 4000K	LHEEGEPDIE1W024	9405	2390/-	06

Ceiling cutout ø 62 mm, height 40 mm for 3W. Ceiling cutout ø 71 mm, height 49 mm for 6W.

Ceiling cutout ø 78 mm, height 57 mm for 9W. Ceiling cutout ø 87 mm, height 62 mm for 12W.

Ceiling cutout ø 96 mm, height 73 mm for 18W. Ceiling cutout ø 135 mm, height 92 mm for 24W.



CRYSTA COB WALLWASHER

Crysta chip on board (COB) wallwasher with crisp light throw and high CRI. The wallwasher makes it easy to highlight features on the wall while being mounted in the ceiling.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
10W LED 3000K	LHEEGEPBIE1W010	9405	1585/-	06
20W LED 3000K	LHEEGEPBIE1W020	9405	3570/-	06

Ceiling cutout ø 90 mm, height 43 mm for 10W. Ceiling cutout ø 131 mm, height 95 mm for 20W.



OCTANE LED PANEL ROUND

Slim, compact, aluminum die cast edge lit panel. Recess mounted round fixture with opal diffuser and separate electronic driver.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
3W LED 3000K	LHEBHDP5IZ1W003	9405	460/-	06
3W LED 4000K	LHEBHDP6IZ1W003	9405	460/-	06
3W LED 6500K	LHEBHDP7IZ1W003	9405	460/-	06
6W LED 3000K	LHEBHDP5IZ1W006	9405	660/-	06
6W LED 4000K	LHEBHDP6IZ1W006	9405	660/-	06
6W LED 6500K	LHEBHDP7IZ1W006	9405	660/-	06
9W LED 3000K	LHEBHDP5IZ1W009	9405	840/-	06
9W LED 4000K	LHEBHDP6IZ1W009	9405	840/-	06
9W LED 6500K	LHEBHDP7IZ1W009	9405	840/-	06
12W LED 3000K	LHEBHDP5IZ1W012	9405	980/-	06
12W LED 4000K	LHEBHDP6IZ1W012	9405	980/-	06
12W LED 6500K	LHEBHDP7IZ1W012	9405	980/-	06
15W LED 3000K	LHEBHDP5IZ1W015	9405	1050/-	06
15W LED 4000K	LHEBHDP6IZ1W015	9405	1050/-	06
15W LED 6500K	LHEBHDP7IZ1W015	9405	1050/-	06
18W LED 3000K	LHEBHDP5IZ1W018	9405	1310/-	06
18W LED 4000K	LHEBHDP6IZ1W018	9405	1310/-	06
18W LED 6500K	LHEBHDP7IZ1W018	9405	1310/-	06
24W LED 3000K	LHEBHDP5IZ1W024	9405	1915/-	06
24W LED 4000K	LHEBHDP6IZ1W024	9405	1915/-	06
24W LED 6500K	LHEBHDP7IZ1W024	9405	1915/-	06

Ceiling cutout ø 75 mm, height 23±1 mm for 3W. Ceiling cutout ø 110 mm, height 23±1 mm for 6W.
 Ceiling cutout ø 138 mm, height 23±1 mm for 9W. Ceiling cutout ø 160 mm, height 23±1 mm for 12W.
 Ceiling cutout ø 180 mm, height 23±1 mm for 15W. Ceiling cutout ø 210 mm, height 23±1 mm for 18W.
 Ceiling cutout ø 287 mm, height 23±1 mm for 24W.



Consumer LED Luminaires

LED RANGE - RECESS

OCTANE LED PANEL SQUARE

Slim, compact, aluminum die cast edge lit panel. Recess mounted square fixture with opal diffuser and separate electronic driver.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
3W LED 3000K	LHEBHEP5IZ1W003	9405	460/-	06
3W LED 4000K	LHEBHEP6IZ1W003	9405	460/-	06
3W LED 6500K	LHEBHEP7IZ1W003	9405	460/-	06
6W LED 3000K	LHEBHEP5IZ1W006	9405	660/-	06
6W LED 4000K	LHEBHEP6IZ1W006	9405	660/-	06
6W LED 6500K	LHEBHEP7IZ1W006	9405	660/-	06
9W LED 3000K	LHEBHEP5IZ1W009	9405	840/-	06
9W LED 4000K	LHEBHEP6IZ1W009	9405	840/-	06
9W LED 6500K	LHEBHEP7IZ1W009	9405	840/-	06
12W LED 3000K	LHEBHEP5IZ1W012	9405	980/-	06
12W LED 4000K	LHEBHEP6IZ1W012	9405	980/-	06
12W LED 6500K	LHEBHEP7IZ1W012	9405	980/-	06
15W LED 3000K	LHEBHEP5IZ1W015	9405	1050/-	06
15W LED 4000K	LHEBHEP6IZ1W015	9405	1050/-	06
15W LED 6500K	LHEBHEP7IZ1W015	9405	1050/-	06
18W LED 3000K	LHEBHEP5IZ1W018	9405	1310/-	06
18W LED 4000K	LHEBHEP6IZ1W018	9405	1310/-	06
18W LED 6500K	LHEBHEP7IZ1W018	9405	1310/-	06
24W LED 3000K	LHEBHEP5IZ1W024	9405	1915/-	06
24W LED 4000K	LHEBHEP6IZ1W024	9405	1915/-	06
24W LED 6500K	LHEBHEP7IZ1W024	9405	1915/-	06

Ceiling cutout 75x75 mm, height 23±1 mm for 3W. Ceiling cutout 110x110 mm, height 23±1 mm for 6W.

Ceiling cutout 138x138 mm, height 23±1 mm for 9W. Ceiling cutout 160x160 mm, height 23±1 mm for 12W.

Ceiling cutout 180x180 mm, height 23±1 mm for 15W. Ceiling cutout 210x210 mm, height 23±1 mm for 18W.

Ceiling cutout 284x284 mm, height 23±1mm for 24W.



TRIM LED PANEL ROUND

Aesthetically designed recessed mounted panel in a light weight plastic body available in 5W, 10W & 15W.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
5W LED 3000K	LHEBLDP5IN1W005	9405	555/-	08
5W LED 4000K	LHEBLDP6IN1W005	9405	555/-	08
5W LED 6000K	LHEBLDP7IN1W005	9405	555/-	08
10W LED 3000K	LHEBLDP5IN1W010	9405	700/-	08
10W LED 4000K	LHEBLDP6IN1W010	9405	700/-	08
10W LED 6000K	LHEBLDP7IN1W010	9405	700/-	08
15W LED 3000K	LHEBLDP5IN1W015	9405	855/-	08
15W LED 4000K	LHEBLDP6IN1W015	9405	855/-	08
15W LED 6000K	LHEBLDP7IN1W015	9405	855/-	08

Ceiling cutout ø 75 mm, height 22 mm for 5W. Ceiling cutout ø 107 mm, height 22 mm for 10W.

Ceiling cutout ø 140 mm, height 27 mm for 15W.



TRIM LED PANEL SQUARE

Aesthetically designed recessed mounted panel in a light weight plastic body available in 5W, 10W & 15W.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
5W LED 3000K	LHEBLEP5IN1W005	9405	555/-	08
5W LED 4000K	LHEBLEP6IN1W005	9405	555/-	08
5W LED 6000K	LHEBLEP7IN1W005	9405	555/-	08
10W LED 3000K	LHEBLEP5IN1W010	9405	700/-	08
10W LED 4000K	LHEBLEP6IN1W010	9405	700/-	08
10W LED 6000K	LHEBLEP7IN1W010	9405	700/-	08
15W LED 3000K	LHEBLEP5IN1W015	9405	855/-	08
15W LED 4000K	LHEBLEP6IN1W015	9405	855/-	08
15W LED 6000K	LHEBLEP7IN1W015	9405	855/-	08

Ceiling cutout 75x75 mm, height 22 mm for 5W. Ceiling cutout 107x107 mm, height 22 mm for 10W.
Ceiling cutout 140x140 mm, height 27 mm for 15W.



LUMENO LED DOWNLIGHTERS ROUND

Aesthetically designed, decorative recess mounted 3W, 5W and 8W LED (Round) spot light for low ceiling height applications.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
LED LIGHT Lumeno 3W Round 3000K	LHEEBPP5IN1W003	9405	420/-	12
LED LIGHT Lumeno 3W Round 6500K	LHEEBPP7IN1W003	9405	420/-	12
LED LIGHT Lumeno 5W Round 3000K	LHEEBPP5IN1W005	9405	500/-	12
LED LIGHT Lumeno 5W Round 6500K	LHEEBPP7IN1W005	9405	500/-	12
LED LIGHT Lumeno 8W Round 3000K	LHEEBPP5IL1W008	9405	620/-	12
LED LIGHT Lumeno 8W Round 6500K	LHEEBPP7IL1W008	9405	620/-	12
LED LIGHT Lumeno 12W Round 3000K	LHEEBPP5IL1W012	9405	725/-	12
LED LIGHT Lumeno 12W Round 6500K	LHEEBPP7IL1W012	9405	725/-	12

Ceiling cutout ø 90 mm, height 38 mm for 3W Round. Ceiling cutout ø 95 mm, height 46 mm for 5W Round.
Ceiling cutout ø 110 mm, height 46 mm for 8W Round. Ceiling cutout ø 140 mm, height 46 mm for 12W Round.



LUMENO LED DOWNLIGHTERS SQUARE

Aesthetically designed, decorative recess mounted 3W, 5W and 8W LED (Square) spot light for low ceiling height applications.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
LED LIGHT Lumeno 3W Square 3000K	LHEEBQP5IN1W003	9405	420/-	12
LED LIGHT Lumeno 3W Square 6500K	LHEEBQP7IN1W003	9405	420/-	12
LED LIGHT Lumeno 5W Square 3000K	LHEEBQP5IN1W005	9405	500/-	12
LED LIGHT Lumeno 5W Square 6500K	LHEEBQP7IN1W005	9405	500/-	12
LED LIGHT Lumeno 8W Square 3000K	LHEEBQP5IL1W008	9405	620/-	12
LED LIGHT Lumeno 8W Square 6500K	LHEEBQP7IL1W008	9405	620/-	12
LED LIGHT Lumeno 12W Square 3000K	LHEEBQP5IL1W012	9405	725/-	12
LED LIGHT Lumeno 12W Square 6500K	LHEEBQP7IL1W012	9405	725/-	12

Ceiling cutout ø 90 mm, height 38 mm for 3W Square. Ceiling cutout ø 95 mm, height 46 mm for 5W Square.
Ceiling cutout ø 110 mm, height 46 mm for 8W Square. Ceiling cutout ø 140 mm, height 46 mm for 12W Square.



Consumer LED Luminaires

LED RANGE - RECESS

BLAZE ROUND

Ultra slim decorative aluminium casted, recess mounted round fixture in white finish with opal diffuser and separate electronic driver, suitable for low depth ceiling.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
3W LED 3000K	LHEBMFP5IZ1W003	9405	610/-	06
3W LED 4000K	LHEBMFP6IZ1W003	9405	610/-	06
3W LED 6000K	LHEBMFP7IZ1W003	9405	610/-	06
6W LED 3000K	LHEBMFP5IZ1W006	9405	900/-	06
6W LED 4000K	LHEBMFP6IZ1W006	9405	900/-	06
6W LED 6000K	LHEBMFP7IZ1W006	9405	900/-	06
12W LED 3000K	LHEBMFP5IZ1W012	9405	1285/-	06
12W LED 4000K	LHEBMFP6IZ1W012	9405	1285/-	06
12W LED 6000K	LHEBMFP7IZ1W012	9405	1285/-	06
15W LED 3000K	LHEBMFP5IZ1W015	9405	1550/-	06
15W LED 4000K	LHEBMFP6IZ1W015	9405	1550/-	06
15W LED 6000K	LHEBMFP7IZ1W015	9405	1550/-	06
18W LED 3000K	LHEBMFP5IZ1W018	9405	1995/-	06
18W LED 4000K	LHEBMFP6IZ1W018	9405	1995/-	06
18W LED 6000K	LHEBMFP7IZ1W018	9405	1995/-	06

Ceiling cutout ø 84 mm, height 19 mm for 3W. Ceiling cutout ø 114 mm, height 19 mm for 6W. Ceiling cutout ø 165 mm, height 19 mm for 12W. Ceiling cutout ø 187 mm, height 19 mm for 15W. Ceiling cutout ø 215 mm, height 19 mm for 18W.



BLAZE SQUARE

Ultra slim decorative aluminium casted, recess mounted square fixture in white finish with opal diffuser and separate electronic driver, suitable for low depth ceiling.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
3W LED 3000K	LHEBMFP5IZ2W003	9405	610/-	06
3W LED 4000K	LHEBMFP6IZ2W003	9405	610/-	06
3W LED 6000K	LHEBMFP7IZ2W003	9405	610/-	06
6W LED 3000K	LHEBMFP5IZ2W006	9405	900/-	06
6W LED 4000K	LHEBMFP6IZ2W006	9405	900/-	06
6W LED 6000K	LHEBMFP7IZ2W006	9405	900/-	06
12W LED 3000K	LHEBMFP5IZ2W012	9405	1285/-	06
12W LED 4000K	LHEBMFP6IZ2W012	9405	1285/-	06
12W LED 6000K	LHEBMFP7IZ2W012	9405	1285/-	06
15W LED 3000K	LHEBMFP5IZ2W015	9405	1550/-	06
15W LED 4000K	LHEBMFP6IZ2W015	9405	1550/-	06
15W LED 6000K	LHEBMFP7IZ2W015	9405	1550/-	06
18W LED 3000K	LHEBMFP5IZ2W018	9405	1995/-	06
18W LED 4000K	LHEBMFP6IZ2W018	9405	1995/-	06
18W LED 6000K	LHEBMFP7IZ2W018	9405	1995/-	06

Ceiling cutout 84x84 mm, height 19 mm for 3W. Ceiling cutout 114x114 mm, height 19 mm for 6W. Ceiling cutout 165x165 mm, height 19 mm for 12W. Ceiling cutout 187x187 mm, height 19 mm for 15W. Ceiling cutout 215x215 mm, height 19 mm for 18W.



FAZER ROUND

Ultra slim decorative all plastic body edge lit panel, recess mounted round fixture in white finish, suitable for low ceiling height.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
6W LED 3000K	LHEBMCP5UZ1W006	9405	850/-	06
6W LED 4000K	LHEBMCP6UZ1W006	9405	850/-	06
6W LED 6000K	LHEBMCP7UZ1W006	9405	850/-	06
12W LED 3000K	LHEBMCP5UZ1W012	9405	1325/-	06
12W LED 4000K	LHEBMCP6UZ1W012	9405	1325/-	06
12W LED 6000K	LHEBMCP7UZ1W012	9405	1325/-	06
18W LED 3000K	LHEBMCP5UZ1W018	9405	1800/-	06
18W LED 4000K	LHEBMCP6UZ1W018	9405	1800/-	06
18W LED 6000K	LHEBMCP7UZ1W018	9405	1800/-	06

Ceiling cutout ø 105 mm, height 30 mm for 6W. Ceiling cutout ø 155 mm, height 30 mm for 12W.
Ceiling cutout ø 210 mm, height 30 mm for 18W.



FAZER SQUARE

Ultra slim decorative all plastic body edge lit panel, recess mounted square fixture in white finish, suitable for low ceiling height.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
6W LED 3000K	LHEBMDP5UZ1W006	9405	850/-	06
6W LED 4000K	LHEBMDP6UZ1W006	9405	850/-	06
6W LED 6000K	LHEBMDP7UZ1W006	9405	850/-	06
12W LED 3000K	LHEBMDP5UZ1W012	9405	1325/-	06
12W LED 4000K	LHEBMDP6UZ1W012	9405	1325/-	06
12W LED 6000K	LHEBMDP7UZ1W012	9405	1325/-	06
18W LED 3000K	LHEBMDP5UZ1W018	9405	1800/-	06
18W LED 4000K	LHEBMDP6UZ1W018	9405	1800/-	06
18W LED 6000K	LHEBMDP7UZ1W018	9405	1800/-	06

Ceiling cutout 105x105 mm, height 30 mm for 6W. Ceiling cutout 155x155 mm, height 30 mm for 12W.
Ceiling cutout 210x210 mm, height 30 mm for 18W.



TRIYCA 3 IN 1 ROUND

Ultra slim edge lit panel in aluminium casting, recess mounted round fixture in white finish, suitable for low ceiling height. 3 in 1, 3K,4K & 6K in the same fixture. Color selection on switching basis.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
12W LED	LHEBLPPNUZ1W012	9405	3060/-	06
16W LED	LHEBLPPNUZ1W018	9405	3810/-	06

Ceiling cutout ø 162 mm, height 23 mm for 12W. Ceiling cutout ø 210 mm, height 23 mm for 16W.



TRIYCA 3 IN 1 SQUARE

Ultra slim edge lit panel in aluminium casting, recess mounted square fixture in white finish, suitable for low ceiling height. 3 in 1, 3K,4K & 6K in the same fixture. Color selection on switching basis.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
12W LED	LHEBLOPNUZ1W012	9405	3060/-	06
16W LED	LHEBLOPNUZ1W018	9405	3810/-	06

Ceiling cutout 162x162 mm, height 23 mm for 12W. Ceiling cutout 210x210 mm, height 23mm for 16W.



Consumer LED Luminaires

LED RANGE - RECESS

AMAZE ROUND

Aesthetically designed recessed round shaped polycarbonate fixture, for low ceiling height application.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
5W LED 4000K	LHEBLDP6AZ1W005	9405	660/-	08
5W LED 6000K	LHEBLDP7AZ1W005	9405	660/-	08
8W LED 4000K	LHEBLDP6AZ1W008	9405	855/-	08
8W LED 6000K	LHEBLDP7AZ1W008	9405	855/-	08
12W LED 4000K	LHEBLDP6IZ1W012	9405	1040/-	08
12W LED 6000K	LHEBLDP7IZ1W012	9405	1040/-	08
16W LED 4000K	LHEBLDP6IZ1W016	9405	1230/-	08
16W LED 6000K	LHEBLDP7IZ1W016	9405	1230/-	08

Ceiling cutout ø 104 mm, height 30 mm for 5W. ø 104 mm, height 30 mm for 8W.

Ceiling cutout ø 155 mm, height 32 mm for 12W. Ceiling cutout ø 155 mm, height 32 mm for 16W.



AMAZE SQUARE

Aesthetically designed recessed square shaped polycarbonate fixture, for low ceiling height application.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
5W LED 4000K	LHEBLEP6AZ1W005	9405	660/-	08
5W LED 6000K	LHEBLEP7AZ1W005	9405	660/-	08
8W LED 4000K	LHEBLEP6AZ1W008	9405	855/-	08
8W LED 6000K	LHEBLEP7AZ1W008	9405	855/-	08
12W LED 4000K	LHEBLEP6IZ1W012	9405	1040/-	08
12W LED 6000K	LHEBLEP7IZ1W012	9405	1040/-	08
16W LED 4000K	LHEBLEP6IZ1W016	9405	1230/-	08
16W LED 6000K	LHEBLEP7IZ1W016	9405	1230/-	08

Ceiling cutout 104x104 mm, height 30 mm for 5W. 104x104 mm, height 30 mm for 8W.

Ceiling cutout 155x155 mm, height 32 mm for 12W. Ceiling cutout 155x155 mm, height 32 mm for 16W.



SAPPHIRE 2 IN 1 ROUND

Low depth & dual color downlighter with blue light in corners & white light in center. Easy color selection on switching basis.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
12W LED 6000K	LHEBLNP7UZ1W012	9405	2460/-	06
18W LED 6000K	LHEBLNP7UZ1W018	9405	3245/-	06

Ceiling cutout ø 106 mm, height 43 mm for 12W. Ceiling cutout ø 156 mm, height 43 mm for 18W.



SAPPHIRE 2 IN 1 SQUARE

Low depth & dual color downlighter with blue light in corners & white light in center. Easy color selection on switching basis.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
12W LED 6000K	LHEBLMP7UZ1W012	9405	2460/-	06
18W LED 6000K	LHEBLMP7UZ1W018	9405	3245/-	06

Ceiling cutout 106x106 mm, height 43 mm for 12W. Ceiling cutout 156x156 mm, height 43 mm for 18W.



JOY ROUND

Recess mounted, compact vertical, round shaped downlighter with removable driver suitable for low ceiling heights.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
3W LED 3000K	LHEBKJP5IZ1W003	9405	665/-	12
3W LED 4000K	LHEBKJP6IZ1W003	9405	665/-	12
3W LED 6000K	LHEBKJP7IZ1W003	9405	665/-	12

Ceiling cutout ø 75 mm, height 69 mm.



JOY ROUND

Recess mounted, compact vertical, round shaped downlighter with removable driver suitable for low ceiling heights.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
5W LED 3000K	LHEBKJP5IZ1W005	9405	760/-	12
5W LED 4000K	LHEBKJP6IZ1W005	9405	760/-	12
5W LED 6000K	LHEBKJP7IZ1W005	9405	760/-	12

Ceiling cutout ø 95 mm, height 83 mm.



JOY ROUND

Recess mounted, compact vertical, round shaped downlighter with removable driver suitable for low ceiling heights.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
9W LED 4000K	LHEBKJP6IZ1W009	9405	1135/-	12
9W LED 6000K	LHEBKJP7IZ1W009	9405	1135/-	12

Ceiling cutout ø 105 mm, height 85 mm.



JOY ROUND

Recess mounted, compact vertical, round shaped downlighter & suitable for low ceiling heights.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
15W LED 3000K	LHEBKJP5IZ1W015	9405	1425/-	06
15W LED 4000K	LHEBKJP6IZ1W015	9405	1425/-	06
15W LED 6000K	LHEBKJP7IZ1W015	9405	1425/-	06
18W LED 3000K	LHEBKJP5PZ1W018	9405	1615/-	06
18W LED 4000K	LHEBKJP6PZ1W018	9405	1615/-	06
18W LED 6000K	LHEBKJP7PZ1W018	9405	1615/-	06

Ceiling cutout ø 138 mm, height 85 mm.



JOY SQUARE

Recess mounted, compact vertical, square shaped downlighter with removable driver suitable for low ceiling heights.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
5W LED 4000K	LHEBKJP6PZ1W005	9405	760/-	12
5W LED 6000K	LHEBKJP7PZ1W005	9405	760/-	12

Ceiling cutout ø 95 mm, height 85 mm.



Consumer LED Luminaires

LED RANGE - SURFACE

JOY RINGO

Environment friendly, energy efficient, aesthetically designed, surface ornamented with rings, moulded body, wall/ceiling light LED fixture with diffuser to give glare free light.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
5W LED 4000K	LHEBKJP6OZ1W005	9405	790/-	12
5W LED 6000K	LHEBKJP7OZ1W005	9405	790/-	12
8W LED 4000K	LHEBKJP6OZ1W008	9405	1390/-	12
8W LED 6000K	LHEBKJP7OZ1W008	9405	1390/-	12

Dimension: ϕ 149 mm, Height: 43 \pm 1 for 5W, ϕ 186 mm, Height: 56 \pm 1 for 8W.



BOLT ROUND

Surface mounted round shaped LED downlighter with durable housing with Al heat sink with diffuser to give glare free light with removable driver.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
6W LED 4000K	LHEAARP6UL1W006	9405	1185/-	06
6W LED 6000K	LHEAARP7UL1W006	9405	1185/-	06
12W LED 4000K	LHEAARP6UL1W012	9405	1890/-	06
12W LED 6000K	LHEAARP7UL1W012	9405	1890/-	06
18W LED 4000K	LHEAARP6UL1W018	9405	2480/-	06
18W LED 6000K	LHEAARP7UL1W018	9405	2480/-	06

Dimension: ϕ 121 mm, Height: 36 \pm 1 for 6W, ϕ 171 mm, Height: 36 \pm 1 for 12W, ϕ 225 mm, Height: 36 \pm 1 for 18W.



BOLT SQUARE

Surface mounted square shaped LED downlighter with durable housing with Al heat sink with diffuser to give glare free light with removable driver.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
6W LED 4000K	LHEAASP6UL1W006	9405	1185/-	06
6W LED 6000K	LHEAASP7UL1W006	9405	1185/-	06
12W LED 4000K	LHEAASP6UL1W012	9405	1890/-	06
12W LED 6000K	LHEAASP7UL1W012	9405	1890/-	06
18W LED 4000K	LHEAASP6UL1W018	9405	2480/-	06
18W LED 6000K	LHEAASP7UL1W018	9405	2480/-	06

Dimension: Length: 121 \pm 1 mm, Width: 121 \pm 1 mm & Height: 36 \pm 1 for 6W, Length: 171 \pm 1 mm, Width: 171 \pm 1 mm & Height: 36 \pm 1 for 12W, Length: 225 \pm 1 mm, Width: 225 \pm 1 mm & Height: 36 \pm 1 for 18W.



CROWN LED

Surface decorative wall/ ceiling mounted LED fixture with electronic driver suitable for indoor applications.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
12W LED 6000K	LHEOFJP7CUZ1W012	9405	2590/-	06

Dimension: ϕ 290 mm, Height: 80 \pm 2.



CANDY LED

Surface decorative wall/ ceiling mounted LED fixture with electronic driver and opaque diffuser, suitable for indoor applications.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
12W LED 6000K	LHEOFHP7CUZ1W012	9405	1795/-	06

Dimension: ø 285 mm, Height: 92±2.



PEACOCK LED

Surface decorative wall/ ceiling mounted fixture with electronic driver and opaque diffuser, suitable for indoor applications.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
12W LED 6000K	LHEOFIP7CUZ1W012	9405	1795/-	06

Dimension: ø 300 mm, Height: 92±2.



ELLIPSE ROUND

Environmental friendly, ultra modern, energy saving, surface mounted, decorative round plastic bulk head LED luminaire comprising of high brightness LEDs, IP54 protection.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
10W LED 6000K	LHEXCFP7PN5W010	9405	1390/-	06
15W LED 6000K	LHEXCFP7PN5W015	9405	1810/-	06



ELLIPSE OVAL

Environmental friendly, ultra modern, energy saving, surface mounted, decorative oval plastic bulk head LED luminaire comprising of high brightness LEDs, IP54 protection.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
10W LED 6000K	LHEXCGP7PN5W010	9405	1390/-	06
15W LED 6000K	LHEXCGP7PN5W015	9405	1810/-	06



EDGE LITE

Linear & compact 9W mirror light with decorative grey end caps, polycarbonate body and ribbed opal diffuser.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
9W LED 4000K	LHEXARP6PN1W009	9405	1090/-	10
9W LED 6000K	LHEXARP7PN1W009	9405	1090/-	10



Consumer LED Luminaires

LED RANGE - SURFACE

E-LITE LED TRYCA

New E-Lite LED Tryca batten. A Color changing LED batten with options of 3000K, 4000K & 6500K, all in one fixture.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
5W LED	LHEXBYPNIN1W005	9405	690/-	10
10W LED	LHEXBYPNIN1W010	9405	785/-	10
20W LED	LHEXBYPNIN1W020	9405	990/-	10



E-LITE LED CURVE

New E-Lite LED Curve. High lumen batten with efficacy of 100 Lumens. Available in 5W, 10W & 20W.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
5W LED 6000K	LHEXBXPIN1W005	9405	525/-	10
10W LED 6000K	LHEXBXPIN1W010	9405	615/-	10
20W LED 6000K	LHEXBXPIN1W020	9405	795/-	10



E-LITE LED GREEN

Decorative ultra slim linear LED lighting fixture with co extruded polycarbonate body, environmental friendly, energy efficient ready to use pack.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
4W LED 6500K	LHEXBLP7UN1W004	9405	355/-	10
9W LED 6500K	LHEXBLP7UN1W009	9405	410/-	10
18W LED 6500K	LHEXBLP7UN1W018	9405	545/-	10



DELITE LED NEO

Decorative ultra slim square profile linear LED lighting fixture with extruded polycarbonate, environmental friendly, energy efficient ready to use pack.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
5W LED 6500K	LHEXBTP7IN1W005	9405	355/-	20
10W LED 6500K	LHEXBTP5IN1W009	9405	410/-	20
18W LED 6500K	LHEXBTP7IN1W018	9405	545/-	20



E-LITE LED PRIDE PLUS

Decorative ultra slim linear LED lighting fixture with extruded polycarbonate, environmental friendly, energy efficient ready to use pack.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
5W LED 6000K	LHEXBLP7IN1W005	9405	355/-	10
9W LED 6000K	LHEXBLP7IN1W009	9405	410/-	10
18W LED 3000K	LHEXBLP5PN1W018	9405	545/-	10
18W LED 6000K	LHEXBLP7PN1W018	9405	545/-	10



MAXOLED (TUBE)

20W LED tube with double side connection.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
20W LED 6000K	LHEXCEP7UN1W020	9405	600/-	20



MAXOLED BATTEN - for T8 LED Retro Lamp (G13)

Ultra bright, glass shell, glare free, wide angle, double side connection retrofit LED tube with G13 lamp holders.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Suitable for Maxoled LED Tube	LHFCEP1TN1W020	9405	150/-	20



Consumer LED Luminaires

LED RANGE - LED STRIPS

FLEXION LED DIGITAL RGB STRIP IP40

Color coordinated 5m RGB Strip with light travel function. Comes with an IR remote.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
24W RGB LED	LHEHDNPUN4F024	9405	2990/-	10
Driver for 24W RGB LED (Order separately)	LHGDLNCECL045	9405	740/-	10



FLEXION CABINET SENSOR STRIP (Battery Operated)

LED Flexi strip powered by 4 AAA batteries. Strip comes with a attached PIR sensor for automatic operation.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
2W LED 4000K	LHEHDNP6FN4W002	9405	1290/-	10



AZURE LED STRIP IP20 (with driver)

Flexible LED strip, with wide viewing angle for good light distribution & IP20 protection, linkable and easy to install, complete with separate replaceable electronic driver.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
18W LED 3000K	LHEHCAP5IN1W018	9405	2150/-	50
18W LED 6000K	LHEHCAP7IN1W018	9405	2150/-	50



AZURE LED RGB STRIP IP20 (with driver)

Flexible LED strip with RGB LED, alongwith IR remote in blister pack.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
36W RGB LED	LHEHCAPNUN1W024	9405	3125/-	24





Consumer Luminaires

The consumer luminaire range consists of smart CFL downlighters, sleek FTL battens and wall mounted lights. The range gives you a vast choices in decorative gate lights that can be retrofitted with CFL or LED lamps.

E-LITE MAGLEV DLX

Extruded aluminium body, decorative ultra slim fixture with diffuser, snap-on installers and domestic electronic ballast, suitable for T5 FTL.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x14W T5 FTL 6000K	LHDF11114031	9405	560/-	10
1x28W T5 FTL 6000K	LHDF11128032	9405	645/-	10



E-LITE BRITE POPULAR

Extruded aluminium, decorative ultra slim fixture without diffuser snap-on installer and domestic electronic ballast suitable for single 28W T5 linear fluorescent lamp for indoor application only.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x28W T5 FTL	LHFYBYN1IN1W028	9405	435/-	10

Without diffuser.



E-LITE BRITE DLX

Extruded aluminium, decorative ultra slim fixture with diffuser snap-on installer and domestic electronic ballast suitable for single 28W T5 linear fluorescent lamp for indoor application only.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x28W T5 FTL	LHFYBYN1ON1W028	9405	520/-	10




DREAMLITE ELECTRONIC

Decorative compact energy efficient luminaire with coloured end caps and electronic ballast suitable for T8 FTL (Without Lamp).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x18W T8 FTL	LHDF01118030	9405	395/-	10
1x36W T8 FTL	LHDF20136025	9405	465/-	10

Shrink Wrapped.



UTSAV

Decorative sleek luminaire with domestic electronic ballast, and engineering plastic end caps suitable for T8 FTL (Without Lamp).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x36W FTL	LHFXBIG1IN1W036	9405	238/-	20



Consumer Luminaires

ELECTRONIC RANGE - FTL T5/ T8

ELECTRA SLIM

Sleek & decorative strip type fixture with domestic electronic ballast and coloured engineering plastic endplates, suitable for T8 FTL (Without Lamp).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x18W FTL	LHDF14118030	9405	285/-	16
1x36W FTL	LHDF14104025	9405	305/-	16



ELECTRA POPULAR

Decorative strip type fixture with domestic electronic ballast and engineering plastic end plates, suitable for T8/T12 FTL (Without Lamp).


Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x36W FTL	LHDF15104025	9405	275/-	16



BRILLO POP

Simple & compact (Triple Bend) design with electronic ballast & plastic end caps suitable for T8/T12 FTL (Without Lamp).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x36W FTL	LHFXBIGGIN1W040	9405	300/-	16



Consumer Luminaires

ELECTRONIC SURFACE MOUNTING RANGE

EZEE DELUXE

Decorative compact energy efficient luminaire with anti-glare diffuser and electronic ballast suitable for FP-L#.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x36W FP-L#	LHDC17136025	9405	1165/-	10

FP-L (Fluorescent Parallel Lamp).



VIVA

Compact & decorative energy efficient luminaire with anti-glare diffuser & decorative end caps suitable for 11W CFL (SU) (Without Lamp).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x11W CFL SU	LHFOECF1OZ1W011	9405	640/-	24

Shrink Wrapped.



BEEBLE

Wall mounted decorative luminaire suitable for 1x15W CFL B22 cap.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x15W CFL (B22)	LHDL07150099	9405	685/-	12



Consumer Luminaires

DECORATIVE POLYCARBONATE - WALL LIGHT RANGE

GLOBE

Decorative wall light fixture made up of Polycarbonate, suitable for 12W spiral CFL (B-22 base).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x12W Spiral CFL / LED Lamp	LHFOFUE1TZ1W012	9405	525/-	12



MARS

Decorative wall light fixture made up of Polycarbonate, suitable for 12W spiral CFL (B-22 base).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x12W Spiral CFL / LED Lamp	LHFOFWE1TZ1W012	9405	525/-	12



APPLE

Decorative wall light fixture made up of Polycarbonate, suitable for 12W spiral CFL (B-22 base).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x12W Spiral CFL / LED Lamp	LHFOFTE1TZ1W012	9405	525/-	12



CITY 1

Decorative wall light fixture made up of Polycarbonate, suitable for 15W retrofit CFL (Spiral B-22 base).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x15W Retrofit CFL / LED Lamp	LHDL02160099	9405	765/-	12



CITY 2

Decorative wall light fixture made up of Polycarbonate, suitable for 15W retrofit CFL (Spiral B-22 base).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x15W Retrofit CFL / LED Lamp	LHDL03160099	9405	765/-	12



CITY 3

Decorative wall light fixture made up of Polycarbonate, suitable for 15W retrofit CFL (Spiral B-22 base).


Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x15W Retrofit CFL / LED Lamp	LHDL06160099	9405	765/-	12



CITY 4

Decorative wall light fixture made up of Polycarbonate, suitable for 15W TU retrofit CFL (B-22 base).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x15W Retrofit CFL / LED Lamp	LHFODFE1TC1W015	9405	765/-	12



Consumer Luminaires

DECORATIVE POLYCARBONATE - GATE LIGHT RANGE

GRACE SMALL

Decorative gate light made up of high grade unbreakable polycarbonate material suitable for retrofit CFL 15W spiral with B22 base.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 15W Spiral CFL (B22)	LHFHASN1TL4K015	9405	1160/-	08

Mounting Pole Dia - 60mm (max) OD.
Dimension: Width: 160 mm & Height: 284 mm.



GRACE BIG

Decorative gate light made up of high grade unbreakable polycarbonate material suitable for retrofit CFL 20W spiral/ 10W LED bulb with B22 base.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 20W Spiral CFL/10W LED Bulb (B22)	LHFHASE1TL4K015	9405	2210/-	04

Mounting Pole Dia - 60mm (max) OD.
Dimension: Width: 215 mm & Height: 348 mm.



LEXO (PRISMATIC)

Decorative gate light made up of high grade unbreakable polycarbonate material suitable for 15W DU retrofit CFL.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 15W DU Retrofit CFL	LHFOGAE1T11F015	9405	695/-	12

Mounting Pole Dia - 60mm (max) OD.
Dimension: Width: 189 mm & Height: 216 mm.



RUBIX

Decorative gate light made up of high grade unbreakable polycarbonate material suitable for retrofit CFL 20W (TU) B22 base.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 20W Retrofit CFL (B22)	LHFOGAE1T11Q020	9405	710/-	04

Mounting CD - 2 Holes Ø 3.5 mm at CD 126 mm.
Dimension: Width: 191 mm & Height: 425 mm.



MOON (PRISMATIC)

Decorative gate light made up of high grade unbreakable polycarbonate material suitable for retrofit CFL 8W/14W (TU)/LED Lamp B22 base.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x8W CFL Retro - Moon 150	LHFXBON1TN6F023	9405	435/-	12
Upto 1x14W CFL Retro - Moon 200	LHFXBON1TN6F035	9405	590/-	12

Mounting Pole Dia - 60mm (max) OD. Dimension: Width: 150 mm & Height: 182 mm for Moon 150.
Mounting Pole Dia - 60mm (max) OD. Dimension: Width: 200 mm & Height: 227 mm for Moon 200.



MOON (OPAL)

Decorative gate light made up of high grade unbreakable polycarbonate material suitable for retrofit CFL 8W/14W (TU) B22 base.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x8W CFL Retro - Moon 150	LHFXBON1TN5Q008	9405	470/-	12
Upto 1x14W CFL Retro - Moon 200	LHFXBON1TN5Q014	9405	650/-	12
Upto 1x14W CFL Retro - Moon 250	LHFXBON1TN5Q020	9405	930/-	12

Mounting Pole Dia - 60mm (max) OD. Dimension: Width: 150 mm & Height: 182 mm for Moon 150.

Mounting Pole Dia - 60mm (max) OD. Dimension: Width: 200 mm & Height: 227 mm for Moon 200.

Mounting Pole Dia - 60mm (max) OD. Dimension: Width: 242 mm & Height: 250 mm for Moon 250.



MUSHROOM (PRISMATIC)

Decorative gate light made up of high grade unbreakable polycarbonate material suitable for retrofit CFL 14W (TU)/LED Lamp B22 base.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x14W CFL Retro (TU)	LHFXAMN1TN6F035	9405	590/-	12

Mounting Pole Dia - 60mm (max) OD.

Dimension: Width: 214 mm & Height: 250 mm.



PLUTO (PRISMATIC)

Decorative gate light made up of high grade unbreakable polycarbonate material suitable for retrofit CFL 20W (TU)/LED Lamp B22 base.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x20W CFL Retro (TU)	LHFXBNN1TN6F045	9405	840/-	08

Mounting Pole Dia - 60mm (max) OD.

Dimension: Width: 196 mm & Height: 295 mm.



PLUTO (OPAL)

Decorative gate light made up of high grade unbreakable polycarbonate material suitable for retrofit CFL 20W (TU)/LED Lamp B22 base.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x20W CFL Retro (TU)	LHFXBNN1TN5Q020	9405	930/-	12

Mounting Pole Dia - 60mm (max) OD.

Dimension: Width: 196 mm & Height: 295 mm.



Consumer Luminaires

DECORATIVE POLYCARBONATE - WALL LIGHT RANGE

ATHENA 1 (OPAL)

Crown shaped post top lantern in soothing opal finish made up of Polycarbonate, suitable upto 15W retrofit CFL/LED Lamp (B-22 base).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x15W Retrofit CFL	LHDC10115099	9405	665/-	12

Mounting Pole Dia - 60mm (max) OD.
Dimension: Width: 200 mm & Height: 235 mm.



ATHENA 2 (PRISMATIC)

Oval shaped post top lantern in Prismatic finish made up of Polycarbonate, suitable upto 27W retrofit CFL/LED Lamp (B-22 base).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 20W Retrofit CFL (250 mm) Mini	LHDC12115099	9405	930/-	08
Upto 27W Retrofit CFL (300 mm)	LHDC12126099	9405	1270/-	04

Mounting Pole Dia - 60mm (max) OD.
Dimension: ø 247 mm & Height: 275 mm (Mini). Dimension: ø 300 mm & Height: 328 mm.



ATHENA 3 (MOON)

Crown shaped post top lantern in soothing moon finish made up of Polycarbonate, suitable upto 27W retrofit CFL/LED Lamp (B-22 base).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x27W Retrofit CFL	LHDC11126099	9405	1070/-	04

Mounting Pole Dia - 60mm (max) OD.
Dimension: ø 230 mm & Height: 328 mm.



ATHENA 4 (GLOBE)

Globe shaped post top lantern in frosted finish made up of Polycarbonate, suitable upto 27W retrofit CFL/LED Lamp (B-22 base).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x27W Retrofit CFL	LHDC13126099	9405	1395/-	04

Mounting Pole Dia - 60mm (max) OD.
Dimension: ø 300 mm & Height: 306 mm.



EL-STAR SLIM (BLISTER PACK) - T8 FTL

Domestic use electronic ballast suitable for FTL lamp in ABS housing with lead in wires for easy connections.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x36/40W FTL/FP-L	LHGEAFBBDPA1036	8405	148/-	5x10x1

Master Carton: 5x10x1=50.



EL-STAR DX - T8 FTL

Domestic use electronic ballast suitable for FTL lamp in ABS housing with lead in wires for easy connections.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x36/40W FTL/FP-L	LHBF01904025	8405	153/-	20



ECO SIGNAGE

Signage HF electronic ballast suitable for T5, T8 FTL, sleek ABS housing with lead in wires & lamp holder.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x28W	LHBT11128032	8405	195/-	40
1x36W	LHBF16136025	8405	175/-	40



STAR SLIM (ELECTRONIC BALLAST)

Domestic use electronic ballast suitable for T5/T8 lamp in sleek ABS housing with lead in wires for easy connections.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x28W T5 FTL	LHBF11128032	8405	235/-	20
1x36W FTL (HPF)	LHBF02904025	8405	195/-	20



SIGNAGE SLIM

Signage HF electronic ballast suitable for T5, T8 FTL, sleek ABS housing with lead in wires, lamp connectors & SS lamp holding clamps for easy installation.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x28W T5 FTL	LHBT10128032	8405	285/-	20



Consumer Luminaires

STARTER

STARTER UNIVERSAL FSU

Universal starter for 230/240V, 18/20/36/40/65/80W FTL & 18/36W FP-L (CFL).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
FTL/FP-L	LHNF07104000	8405	11.50/-	20x25x1



STARTER UNIVERSAL FSU (BLISTER PACK)

Universal starter for 230/240V, 18/20/36/40/65/80W FTL & 18/36W FP-L (CFL).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
FTL/FP-L	LHYF02000099	8405	12.50/-	20





Home Décor Lighting Collection

Introducing the new range of home décor lights from Havells. This range is yet another example of Havells' endeavour to innovate and provide world class lighting solutions. Modern and stylish, these lights are designed to breathe life into your living spaces, be it bedroom, living room, dining areas, staircases, corridors or dressing rooms. Just switch on these lights, and see how your dream house brightens up every day.

XING HEXA LED

Decorative, wall mounted, die-cast Al. LED fixture with ivory powder coating for updown accent lighting.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
6W LED 3000K	LHEHCWPBIN1W006	9405	3465/-	08



XING PENTA LED

Decorative, wall mounted, die-cast Al. LED fixture with ivory powder coating for updown accent lighting.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
6W LED 3000K	LHEHCYPBIN1W006	9405	3465/-	08



XING ROUND LED

Decorative, wall mounted, die-cast Al. LED fixture with ivory powder coating for updown accent lighting.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
6W LED 3000K	LHEHCXPBIN1W006	9405	3465/-	08



XING SQUARE LED

Decorative, wall mounted, die-cast Al. LED fixture with ivory powder coating for updown accent lighting.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
6W LED 3000K	LHEHCVPBIN1W006	9405	3465/-	08



GLAZE

Decorative, wall mounting fixture, in durable plastic body & designer mesh in gold finish suitable for 14W retrofit CFL. Also available in white/blue/black mesh on special request.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 14W Retrofit CFL (B22)	LHFOECE1TZ1B014	9405	640/-	08



STYLO

Decorative, wall mounting, champagne gold finish fixture with plastic body suitable for 14W retrofit CFL.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 14W Retrofit CFL (B22)	LHFOECE1TZ10014	9405	620/-	08



SANA

Decorative wall light made up of high grade engineering plastic material suitable for retrofit CFL 20W (Spiral).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 20W Spiral CFL (B22)	LHFOGBE1TZ1W035	9405	655/-	12



MEADOWS

Decorative, wall mounting fixture. White MS body with opal glass suitable for 2x15W retrofit CFL. Also available in wooden & SS finish on special request.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
2x15W SP CFL (B22)	LHFHDAE2TL1W015	9405	2835/-	06



TITLIS

Decorative, wall mounting, chrome finish fixture with textured glass suitable for 40W mini GLS lamp.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 2x40W Mini GLS E14	LHFHDAC2TB1W040	9405	3045/-	06



FLORET

Decorative wall light made up of high grade engineering plastic material suitable for retrofit CFL 20W (Spiral).

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x20W CFL Retro (Spiral) / LED Lamp	LHFHCHE1TL1W020	9405	525/-	12



GLORY 2

Decorative, wall mounting, chrome finish fixture with frosted glass suitable for 40W mini GLS lamp.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 2x40W Mini GLS E14	LHFOFCC2TZ1C040	9405	2125/-	08



VOILA

Decorative, wall mounting, SS finish fixture with opal PC diffuser suitable for 40W incandescent candle lamp or 20W spiral CFL.


Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x40W Candle/ 20W Spiral CFL E27	LHJE01104499	9405	1365/-	08



EBONY

Decorative, wall mounting, SS finish fixture with textured glass diffuser suitable for 40W mini GLS lamp.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x40W Mini GLS E27	LHJE04104499	9405	1550/-	08



ARISTO

Decorative, wall mounting, SS finish fixture with opal glass diffuser suitable for 40W incandescent candle lamp or 8W TU retrofit CFL.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x8W CFL TU/ 40W Candle E14	LHJE01106499	9405	1525/-	08



VENZA

Decorative, wall mounting, SS finish fixture with opal glass diffuser suitable for 40W mini GLS lamp or 8W TU retrofit CFL.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x8W CFL TU/ 40W Mini GLS E14	LHJC02108499	9405	1525/-	08



TAURUS

Decorative, wall mounting, SS finish fixture with opal glass diffuser suitable for 40W incandescent candle lamp.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x40W Candle E14	LHJE02106499	9405	1550/-	08



LIBRA

Decorative, wall mounting, SS finish fixture with opal glass diffuser suitable for 40W incandescent candle lamp.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 2x40W Candle E14	LHJE02206499	9405	3065/-	08



LOTUS

Decorative, wall mounting, SS brush finish fixture with frosted glass suitable for 40W mini GLS lamp.


Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x40W Mini GLS E27	LHFOFFD1TZ11040	9405	1155/-	08



GEMINI

Decorative, wall mounting, chrome finish fixture with textured glass suitable for 40W mini GLS lamp.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x40W Mini GLS E14	LHFOFDC1TZ1C040	9405	1550/-	08



ARC

Decorative, wall mounting, chrome finish fixture with frosted glass suitable for 40W mini GLS lamp.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x40W Mini GLS E27	LHFOFED1TZ1C040	9405	870/-	08



ARC 1

Decorative, wall mounting, SS finish fixture with frosted glass suitable for 40W mini GLS lamp.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x40W Mini GLS E27	LHFOFED1TZ11040	9405	870/-	08



PEBBLE

Decorative, wall mounting, SS finish fixture with opal glass diffuser suitable for 40W mini GLS lamp.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x40W Mini GLS E14	LHJE02104499	9405	1760/-	08



ATRIX

Decorative, wall mounting, SS finish fixture with opal glass diffuser suitable for 40W incandescent candle lamp.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x40W Candle E14	LHJE03104499	9405	1785/-	08



MONARCH

Decorative, wall mounting, SS finish fixture with opal glass diffuser suitable for 40W incandescent candle lamp.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 1x40W Candle E14	LHJC01206499	9405	1545/-	08



WOODSTER

Decorative, wall mounting fixture with opal glass diffuser suitable for 60W GLS lamp or 15W FU retrofit CFL.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 60W GLS/ 15W CFL FU E27	LHJC01115499	9405	1735/-	08



DESKLITE SLEEK

The product has a stylish design, craftsmanship, advanced and mature technology, great quality and high brightness SMD LED is adopted, after a special optical processing, emitting soft light.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
6W LED 6000K	LHEXBVP7UN1W006	9405	2125/-	06



DESKLITE TOUCH

The product has a stylish design, craftsmanship, advanced and mature technology, great quality and high brightness SMD LED. This table lamp comes with step dimming in three levels (high/medium/low) for tuning it exactly to the requirement.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
8W LED 6000K	LHEXBWP7UN1W008	9405	3465/-	06



DESKLITE CURVE

The product has a stylish design, craftsmanship, advanced and mature technology, great quality and high brightness SMD LED. This table lamp has a dimming function and tunable white feature and can be tuned from yellow to white.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
10W LED 6000K	LHEXBWP7UN1W010	9405	3675/-	06



DESKLITE CLIP

The product has a stylish design, craftsmanship, advanced and mature technology, great quality and high brightness SMD LED. The table lamp can be clipped onto a table and also be used for general table placement.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
4W LED 6000K	LHEXBUP7UN1W004	9405	2415/-	06



BRITO

Decorative, surface mounting, 20W, conical shaped pendant in pastel green & black finishes.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 20W CFL Green	LHFHDNE1TN1G020	9405	2520/-	04
Upto 20W CFL Black	LHFHDNE1TN1K020	9405	2520/-	04



LIVA

Decorative, surface mounting, 20W, conical shaped pendant in pink & black finishes to match with vibrant interiors.


Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 20W CFL Pink	LHFHDOE1TN1P020	9405	1680/-	04
Upto 20W CFL Black	LHFHDOE1TN1K020	9405	1680/-	04



NIMBUS

Decorative, surface mounting, 20W, dome shaped pendant in green & black finishes.

Lamp Type	Ordering Code	HSN Code	MRP (₹)	Pkg.
Upto 20W CFL Green	LHFHDPE1TN1G020	9405	1735/-	04
Upto 20W CFL Black	LHFHDPE1TN1K020	9405	1735/-	04







LED Lamps, CFL & FTL

High output LED lamps, specialized high wattage lamps and decorative LED Filament lamps for all household and commercial needs.

LED Lamps, CFL & FTL

NEW ADORE LED LAMPS



Description	Ordering Code	Lumen Output (lm)	Color Temp. (K)	Lamp Dimension (mm)		Lamp Current (A)	Base Cap	HSN Code	MRP (₹)	Std. Pkg.
				Length	Dia.					
LED Adore Lamp 0.5W B22 White	LHLDAFUEULNX0X5	NA	White	68	45	0.05	B22	9405	45/-	50
LED Adore Lamp 0.5W B22 Yellow	LHLDAFUEUCNX0X5	NA	Yellow	68	45	0.05	B22	9405	45/-	50
LED Adore Lamp 0.5W B22 Green	LHLDAFUEUONX0X5	NA	Green	68	45	0.05	B22	9405	45/-	50
LED Adore Lamp 0.5W B22 Blue	LHLDAFUEUSNX0X5	NA	Blue	68	45	0.05	B22	9405	45/-	50
LED Adore Lamp 0.5W B22 Red	LHLDAFUEUPNX0X5	NA	Red	68	45	0.05	B22	9405	45/-	50
LED New Adore 3W B22 CDL Candle Lamp	LHLDERUEMK9X003	270	6500K	107	37	0.07	B22	9405	120/-	40
LED New Adore 3W B22 WW Candle Lamp	LHLDERUEMD9X003	240	3000K	107	37	0.07	B22	9405	120/-	40
LED New Adore 3W E27 CDL Candle Lamp	LHLDERHEMK9X003	270	6500K	107	37	0.07	E27	9405	120/-	40
LED New Adore 3W E27 WW Candle Lamp	LHLDERHEMD9X003	240	3000K	107	37	0.07	E27	9405	120/-	40
LED New Adore 3W E14 CDL Candle Lamp	LHLDEROEMK9X003	270	6500K	107	37	0.07	E14	9405	120/-	40
LED New Adore 3W E14 WW Candle Lamp	LHLDEROEMD9X003	240	3000K	107	37	0.07	E14	9405	120/-	40
LED New Adore 3W B22 CDL Ball Lamp	LHLDERUEMK8X003	270	6500K	82	45	0.07	B22	9405	120/-	40
LED New Adore 3W B22 WW Ball Lamp	LHLDERUEMD8X003	240	3000K	82	45	0.07	B22	9405	120/-	40
LED New Adore 3W E27 CDL Ball Lamp	LHLDERHEMK8X003	270	6500K	82	45	0.07	E27	9405	120/-	40
LED New Adore 3W E27 WW Ball Lamp	LHLDERHEMD8X003	240	3000K	82	45	0.07	E27	9405	120/-	40
LED New Adore 3W E14 CDL Ball Lamp	LHLDEROEMK8X003	270	6500K	82	45	0.07	E14	9405	120/-	40
LED New Adore 3W E14 WW Ball Lamp	LHLDEROEMD8X003	240	3000K	82	45	0.07	E14	9405	120/-	40
LED New Adore 5W E27 WW Ball Lamp	LHLDERHEMD8X005	390	3000K	102	56	0.03	E27	9405	130/-	40
LED New Adore 5W E27 CDL Ball Lamp	LHLDERHEML8X005	425	6500K	102	56	0.03	E27	9405	130/-	40
LED New Adore 5W B22 WW Ball Lamp	LHLDERUEMD8X005	390	3000K	102	56	0.03	B22	9405	130/-	40
LED New Adore 5W B22 CDL Ball Lamp	LHLDERUEML8X005	425	6500K	102	56	0.03	B22	9405	130/-	40
LED Adore 5W Clear Candle 3000K	LHLDEROEMD9X005	400	3000K	110	37	0.03	E14	9405	225/-	40
LED New Adore 7W E27 WW Ball Lamp	LHLDERHEMD8X007	550	3000K	102	56	0.04	E27	9405	140/-	40
LED New Adore 7W E27 CDL Ball Lamp	LHLDERHEML8X007	600	6500K	102	56	0.04	E27	9405	140/-	40
LED New Adore 7W B22 WW Ball Lamp	LHLDERUEMD8X007	550	3000K	102	56	0.04	B22	9405	140/-	40
LED New Adore 7W B22 CDL Ball Lamp	LHLDERUEML8X007	600	6500K	102	56	0.04	B22	9405	140/-	40
LED New Adore 10W E27 WW Ball Lamp	LHLDERHEMD8X010	780	3000K	109	60	0.055	E27	9405	150/-	40
LED New Adore 10W E27 CDL Ball Lamp	LHLDERHEML8X010	850	6500K	109	60	0.055	E27	9405	150/-	40
LED New Adore 10W B22 WW Ball Lamp	LHLDERUEMD8X010	780	3000K	109	60	0.055	B22	9405	150/-	40
LED New Adore 10W B22 CDL Ball Lamp	LHLDERUEML8X010	850	6500K	109	60	0.055	B22	9405	150/-	40
LED New Adore 15W E27 WW Ball Lamp	LHLDERHEMD8X015	1285	3000K	125	65	0.07	E27	9405	300/-	40
LED New Adore 15W E27 CDL Ball Lamp	LHLDERHEMK8X015	1425	6500K	125	65	0.07	E27	9405	300/-	40
LED New Adore 15W B22 WW Ball Lamp	LHLDEREEMD8X015	1285	3000K	125	65	0.07	B22	9405	300/-	40
LED New Adore 15W B22 CDL Ball Lamp	LHLDEREEMK8X015	1425	6500K	125	65	0.07	B22	9405	300/-	40
LED New Adore 20W E27 WW Ball Lamp	LHLDERHEMC8X020	1800	3000K	150	80	0.10	E27	9405	415/-	24
LED New Adore 20W E27 CDL Ball Lamp	LHLDERHEML8X020	2000	6500K	150	80	0.10	E27	9405	415/-	24
LED New Adore 20W B22 WW Ball Lamp	LHLDEREEMC8X020	1800	3000K	150	80	0.10	B22	9405	415/-	24
LED New Adore 20W B22 CDL Ball Lamp	LHLDEREEMK8X020	2000	6500K	150	80	0.10	B22	9405	415/-	24
LED Adore 5.5W Lamp 3000K GU10	LHLDERLCMD8X5X5	400	3000K	57	51	0.03	GU10	9405	320/-	40
LED Adore 5.5W Lamp 4000K GU10	LHLDERLCMH8X5X5	420	4000K	57	51	0.03	GU10	9405	320/-	40
LED Adore 5.5W Lamp 6500K GU10	LHLDERLCMK8X5X5	440	6500K	57	51	0.03	GU10	9405	320/-	40

LED Lamps, CFL & FTL

NIGHT LITE ADORE LED

NIGHT LITE ADORE LED - PENGUIN

Description	Ordering Code	Lamp Dimension (mm)	HSN Code	MRP (₹)	Std. Pkg.
Night Lite Adore LED Lamp 0.5W Penguin	LHEHDDP7IN1G010	80×70×90mm	9405	180/-	12



NIGHT LITE ADORE LED - BEAR

Description	Ordering Code	Lamp Dimension (mm)	HSN Code	MRP (₹)	Std. Pkg.
Night Lite Adore LED Lamp 0.5W Bear	LHEHDDP7IN1B010	100×65×60mm	9405	180/-	12



NIGHT LITE ADORE LED - RHINO

Description	Ordering Code	Lamp Dimension (mm)	HSN Code	MRP (₹)	Std. Pkg.
Night Lite Adore LED Lamp 0.5W Rhino	LHEHDDP7IN1R010	100×80×50mm	9405	180/-	12



NIGHT LITE ADORE LED - RABBIT

Description	Ordering Code	Lamp Dimension (mm)	HSN Code	MRP (₹)	Std. Pkg.
Night Lite Adore LED Lamp 0.5W Rabbit	LHEHDDP7IN1U010	90×55×65mm	9405	180/-	12



NIGHT LITE ADORE LED - PANDA

Description	Ordering Code	Lamp Dimension (mm)	HSN Code	MRP (₹)	Std. Pkg.
Night Lite Adore LED Lamp 0.5W Panda	LHEHDDP7IN1X010	80×85×70mm	9405	180/-	12



NIGHT LITE ADORE LED - TENNIS

Description	Ordering Code	Lamp Dimension (mm)	HSN Code	MRP (₹)	Std. Pkg.
Night Lite Adore LED Lamp 0.5W Tennis	LHEHDDP7IN1J010	80×80×90mm	9405	180/-	12



NIGHT LITE ADORE LED - TIGER

Description	Ordering Code	Lamp Dimension (mm)	HSN Code	MRP (₹)	Std. Pkg.
Night Lite Adore LED Lamp 0.5W Tiger	LHEHDDP7IN1D010	89×86×78mm	9405	180/-	12



LED Lamps, CFL & FTL

BRIGHTFILL FILAMENT/FILORID LED LAMPS


FLORID LED

HORIZON LED



Description	Ordering Code	Lumen Output (lm)	Color Temp. (K)	Lamp Dimension (mm)		Lamp Current (A)	Base Cap	HSN Code	MRP (₹)	Std. Pkg.
				Length	Dia.					
LED Florid 30W B22 865 Lamp	LHLDEIEDWL8X030	2500	6500K	115	130	0.13	B22	9405	875/-	24
LED Florid 40W B22 865 Lamp	LHLDEIEDWL8X040	3400	6500K	133	150	0.17	B22	9405	1200/-	24
LED Florid 50W B22 865 Lamp	LHLDEIEDWL8X050	4000	6500K	133	150	0.22	B22	9405	1400/-	24
LED Horizon 8W Lamp B22 CDL	LHLDTHEMD8X008	700	6500K	165	43	0.04	B22	9405	270/-	40

BRIGHTFILL FILAMENT LED



Description	Ordering Code	Lumen Output (lm)	Color Temp. (K)	Lamp Dimension (mm)		Lamp Current (A)	Base Cap	HSN Code	MRP (₹)	Std. Pkg.
				Length	Dia.					
LED Filament Lamp 2W A60 WW B22	LHLDDDEECYC8U002	225	2700K	104	60	0.017	B22	9405	220/-	48
LED Filament Lamp 4W A60 WW B22	LHLDDDEECYC8U004	430	2700K	104	60	0.029	B22	9405	260/-	48
LED Filament Lamp 6W A60 WW B22	LHLDDDEECYC8U006	660	2700K	104	60	0.045	B22	9405	310/-	48
LED Filament Lamp 7.5W A60 WW B22	LHLDDDEECYC8U007X5	800	2700K	104	60	0.053	B22	9405	330/-	48
LED Filament Lamp 2W A60 WW E27	LHLDDDEHCYC8U002	225	2700K	104	60	0.017	E27	9405	220/-	48
LED Filament Lamp 4W A60 WW E27	LHLDDDEHCYC8U004	430	2700K	104	60	0.029	E27	9405	260/-	48
LED Filament Lamp 6W A60 WW E27	LHLDDDEHCYC8U006	660	2700K	104	60	0.045	E27	9405	310/-	48
LED Filament Lamp 7.5W A60 WW E27	LHLDDDEHCYC8U007X5	800	2700K	104	60	0.053	E27	9405	330/-	48
LED Filament Lamp 2W A45 WW E14	LHLDDZOCYC8U002	225	2700K	80	45	0.02	E14	9405	180/-	48
LED Filament Lamp 4W A45 WW E14	LHLDDZOCYC8U004	430	2700K	80	45	0.033	E14	9405	235/-	48
LED Filament Lamp 2W Candle WW B22	LHLDDACECYC8U002	225	2700K	90	35	0.017	B22	9405	220/-	48
LED Filament Lamp 4W Candle WW B22	LHLDDACECYC8U004	430	2700K	90	35	0.029	B22	9405	260/-	48
LED Filament Lamp 2W Candle WW E27	LHLDDACHCYC8U002	225	2700K	90	35	0.017	E27	9405	220/-	48
LED Filament Lamp 4W Candle WW E27	LHLDDACHCYC8U004	430	2700K	90	35	0.029	E27	9405	260/-	48
LED Filament Lamp 2W Candle WW E14	LHLDDACOCYC8U002	225	2700K	98	35	0.02	E14	9405	220/-	48
LED Filament Lamp 4W Candle WW E14	LHLDDACOCYC8U004	430	2700K	98	35	0.033	E14	9405	260/-	48

LED Lamps, CFL & FTL

CFL

DWARF (RETROFIT)

Lamp Wattage	CAT. Ref. No.	Lumen Output (lm)	Lamp Dimension (mm)		Lamp Current (mA)	Base Cap	HSN Code	MRP (₹)	Std. Pkg.
			Length	Dia.					
8W (TU)	PHHTC22008	400	114	45	45	B22	8539	135/-	50

§ Not covered under scope of IS 15111:2002



NORMAL (RETROFIT)

Lamp Wattage	CAT. Ref. No.	Lumen Output (lm)	Lamp Dimension (mm)		Lamp Current (mA)	Base Cap	HSN Code	MRP (₹)	Std. Pkg.
			Length	Dia.					
15W (DU)	PHHDC22015	810	164	46	75	B22	8539	130/-	50
20W (TU)	PHHTC22020	1150	170	53	100	B22	8539	185/-	50


§ Not covered under scope of IS 15111:2002



CURVY

Lamp Wattage	CAT. Ref. No.	Lumen Output (lm)	Lamp Dimension (mm)		Lamp Current (mA)	Base Cap	HSN Code	MRP (₹)	Std. Pkg.
			Length	Dia.					
15W (SP)	PHCRC02015	900	132	46	75	G24	8539	180/-	50

§ Not covered under the scope of IS 15111:2002



RETROFIT HIGHER RANGE[§]

Lamp Wattage	CAT. Ref. No.	Lumen Output (lm)	Lamp Dimension (mm)		Lamp Current (mA)	Base Cap	HSN Code	MRP (₹)	Std. Pkg.
			Length	Dia.					
35W (FU) [§]	PHFFC223501	2100	181	60	255	B22	8539	380/-	12
45W (FU) [§]	PHFFC224501	2700	198	60	350	B22	8539	540/-	12
65W (FU) [§]	PHFFC226501	3800	297	90	500	B22	8539	680/-	06
85W (FU) [§]	PHFFC228501	5000	370	90	620	B22	8539	780/-	06

§ Not RoHS Compliant, Non CE, not covered under scope of IS 15111:2002



SPIRAL HIGHER RANGE[§]

Lamp Wattage	CAT. Ref. No.	Lumen Output (lm)	Lamp Dimension (mm)		Lamp Current (mA)	Base Cap	HSN Code	MRP (₹)	Std. Pkg.
			Length	Dia.					
35W (SP) [§]	PHFRC223501	2150	183	62	285	B22	8539	410/-	12
45W (SP) [§]	PHFRC224501	2800	208	86	375	B22	8539	620/-	12
65W (SP) [§]	PHFRC226501	3900	238	86	475	B22	8539	730/-	06
85W (SP) [§]	PHFRC228501	5000	260	86	575	B22	8539	850/-	06

§ Not covered under the scope of IS 15111:2002



NON-RETROFIT

Lamp Wattage	CAT. Ref. No.	Lumen Output (lm) 6500K	Max. Length (mm)	Lamp Current (mA)	Base **	HSN Code	MRP (₹)	Std. Pkg.
11W (SU)	PHCSC02011	850	234	155	G-23	8539	70/-	100
18W (DU)	PHCDC02018	1140	154	220	G-24d2	8539	105/-	100

Confirm to IEC 60901 & IEC 61199

Available in 2 pin

** Base suitable for ballast & starter application, for HF operation select appropriate base cap

With pre heat high frequency electronic ballast



FP-L^S

Lamp Wattage	CAT. Ref. No.	Lumen Output (lm) 6500K	Max. Length (mm)	Lamp Current (mA)	Base	HSN Code	MRP (₹)	Std. Pkg.
36W	PHCSC04036	2800	415	435	2G-11	8539	130/-	50

Confirm to IEC 60901 & IEC 61199

^S Non RoHS compliant

Suitable for Electronic Ballast/HF operation or with electromagnetic ballast and external starter.

With pre heat high frequency electronic ballast



LED Lamps, CFL & FTL

FTL


T5 MAXOLINE

Lamp Wattage	Cap Base	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x28W T5 FTL 6000K	G5	LHST26128699	8539	125/-	40



T8 MAXOLINE

Lamp Wattage	Cap Base	Ordering Code	HSN Code	MRP (₹)	Pkg.
1x36W T8 FTL 6000K	G5	LHLFDLCENL70036	8539	46/-	25





Torches & Lantern Range

Today everything around us resonates technology and people are upgrading to wireless lifestyle. Hence, there is a constant desire for products which are portable and adds convenience in our day-to-day living. Hence, continuing with its innovative and technologically advanced products in FMEG segment, Havells has launched its new range of Rechargeable Lantern and Torches that comes with the best in class LED and advanced battery life to provide impressive light output and durability on a single charge.

Now, go wherever you want to with an aura of your own!

PATHFINDER 5

Aesthetically designed compact 0.5W Rechargeable LED torch in Red & Orange Color.

Ordering Code	Color	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHETAPFCBN1R0X5	Red	0.5W	Rechargeable	4V, 400mAh	9405	180/-	10
LHETAPFCBN1N0X5	Orange	0.5W	Rechargeable	4V, 400mAh	9405	180/-	10



PATHFINDER 10

Aesthetically designed compact 1W Rechargeable LED torch in Blue & Yellow Color.

Ordering Code	Color	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHETBPFCAN1B001	Blue	1W	Rechargeable	4V, 400mAh	9405	220/-	10
LHETBPFCAN1Y001	Yellow	1W	Rechargeable	4V, 400mAh	9405	220/-	10



PATHFINDER 30

Aesthetically designed 3W Rechargeable LED torch.

Ordering Code	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHETCPFCAN1A003	3W	Rechargeable	4V, 900mAh	9405	295/-	10



PATHFINDER NEO

Slim and compact 3W LED torch for outdoor usage with IP65 Protection.

Ordering Code	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHETCPFCTN1K003	3W	Dry Cell	3xAAA	9405	350/-	10



RANGER 10/30

Ergonomically designed 1W & 3W LED torches for comfortable handling.

Ordering Code	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHEXAOPFUN1K001	1W	Rechargeable	4V, 400mAh	9405	235/-	10
LHEXAOPFUN1K003	3W	Rechargeable	4V, 900mAh	9405	320/-	10



Consumer Luminaires

TORCHES & LANTERN RANGE

BEEMER 50

5W LED torch with high intensity focused beam with twin switching mode.

Ordering Code	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHEXAOPFUN1G005	5W	Rechargeable	3.7v, 3000mAh	9405	870/-	06



DAZZLE LANTERN CUM TORCH

A multipurpose LED Torch cum Lantern dark Olive color with built-in hanging hook.

Ordering Code	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHETDP7CHN1G003	3W	Rechargeable	4V, 2000mAh	9405	1065/-	06



GLANZ SOLAR

Compact design, 1.5W solar rechargeable torch in red finish.

Ordering Code	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHEXTEPWFN1K1X5	1.5W	Rechargeable	4V, 1600mAh	8513	400/-	10



SOLIS

Compact design, 2.8W LED lantern with smooth dimming operation and inbuilt camping hook.

Ordering Code	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHEXTEP7MN1M2X8	2.8W	Rechargeable	3.7v, 1500mAh	9405	785/-	06



RAYLINE RECHARGEABLE LIGHT

Rechargeable 6W LED emergency light with frosted PC cover and pull chord.

Ordering Code	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHEXTEP7EN1W006	6W	Rechargeable	3.7v, 2000mAh	9405	915/-	10



LUMINA LANTERN

Aesthetically designed Rechargeable LED Lantern with dimming & SOS feature in Red & Yellow color.

Ordering Code	Color	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHEXBQP7HN1R3X2	Red	3.2W	Rechargeable Li-ion	3.7V, 2200mAh	9405	1285/-	06
LHEXBQP7HN1Y3X2	Yellow	3.2W	Rechargeable Li-ion	3.7V, 2200mAh	9405	1285/-	06



LUMINA SOLAR LANTERN

Aesthetically designed Rechargeable LED Lantern with dimming & SOS feature in Red & Yellow color.

Ordering Code	Color	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHEXBQP7TN1R3X2	Red	3.2W	Rechargeable Li-ion	3.7V, 2200mAh	8513	2000/-	06
LHEXBQP7TN1Y3X2	Yellow	3.2W	Rechargeable Li-ion	3.7V, 2200mAh	8513	2000/-	06



GALAXY EMERGENCY LIGHT

Aesthetically designed Rechargeable LED Lantern with dimming & SOS feature in Red color.

Ordering Code	Color	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHEXTEP7HN1R005	Red	5W	Rechargeable Li-ion	3.7V, 4400mAh	9405	1730/-	06



MODERNA EMERGENCY TABLE LAMP

4.5W Sleek and portable LED table lamp with 3 hrs of continuous battery backup

Ordering Code	Watt	Battery Type	Battery Capacity	HSN Code	MRP (₹)	Pkg.
LHEXBZP7FN1W4X5	4.5W	Rechargeable	4V, 2000mAh	9405	1225/-	06



5V DC CHARGER

Ordering Code	Description	HSN Code	MRP (₹)	Pkg.
LHCDBDANHBAL000	5V DC Li-ion Charger	9405	300/-	06





TERMS & CONDITION

- Prices are in Indian ₹ (Inclusive of GST).
- All prices of luminaires included in the list price are without lamp / tube, except wherever specified.
- LED luminaires are warranty for the period for 24 months from the date of sales invoice.
- Luminaires are warranty for the period of 12 months from the date of sale. Warranty does not cover lamps / tubes.
- No Warranty on Torches.
- 6 Months Warranty on Emergency Lantern
- Prices are subject to change without notice.
- All prices are subject to Havells general terms and conditions of business.
- Disputes, if any, are subject to Delhi jurisdiction only.
- This list price / price list supercedes all previous price lists.
- Every effort has been made to ensure accuracy in compilation of technical / commercial detail within this publication.
- Specification and performance data are constantly changing; current details should, therefore, be checked with the company.
- Company reserves the right to issue amendments, which may arise due to any errors in the price list.

Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, however current details should therefore be checked with Havells. Specifications and performance data are constantly changing.

REGIONAL & BRANCH OFFICES:

NORTH - REGIONAL OFFICE: Corporate Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304, Tel: 0120-3331000, **Delhi:** Tel: 011-47676700, 23888200, **Chandigarh:** Tel: 0172-4232400-401, **Dehradun:** Tel: 0135-6670202, **Noida / Haryana:** Tel: 0120-3331000, **Ludhiana:** Tel: 0161-4676000 / 24, **Jammu:** Tel: 0191-2478330, 2479330, **Sri Nagar:** Tel: 0194-2490431, **Jaipur:** Tel: 0141-3914645, 3988210 **Jodhpur:** Tel: 0291-9214201640 / 45, **Lucknow:** Tel: 0522-6672100, **Kanpur:** Tel: 0512-6710400, 6710409

EAST - REGIONAL OFFICE: Kolkata: ICC Tower, 5th Floor, 4 India Exchange Place, Kolkata-700001, Tel: 033-40129851 / 52, **Bhubaneshwar:** Tel: 0674-6668101/102/103/104, **Guwahati:** Tel: 0361-2134521, 2458923, 2460355, **Siliguri:** Tel: 0353-2525907, **Ranchi:** 0651-2244861, 2244862, 2244864, 2244868, 2244869, **Jamshedpur:** Tel: 0657-6542492, 09234369436, **Patna:** Tel: 0612-2207221, 2207222, 2207223, 2655518

WEST - REGIONAL OFFICE: Mumbai: 1271, Solitaire Corporate Park, Bldg. No. 12, 7th Floor, Andheri - Ghatkopar Link Road, Chakala, Andheri (East), Mumbai- 400093. Ph.: 022 - 67298600-602, **Ahmedabad:** Tel: 079-40061111, 40060738-740, **Indore:** Tel: 0731-2572340-41, 4009998 (Airtel), **Rajkot:** Tel: 0281-2481112, 2921212, **Nagpur:** Tel: 0712-2240932, 2242692, 2242699 **Pune:** Tel: 020-64016413 / 14, **Raipur:** Tel: 0771-4243400 / 01, **Surat:** Tel: 0261-2350137, 9979890137, **Jabalpur:** Tel: 0761-4064491

SOUTH - REGIONAL OFFICE: Chennai: Sigapi Achi Building, No. 18 / 3, 6th Floor, Rukmani Lakshmipathy Road, Egmore, Chennai-600008, Tel: 044-42280600, 605, **Bangalore:** Tel: 080-49075000, **Coimbatore:** Tel: 0422-4550200, 2305199, 2306199, **Hyderabad:** Tel: 040-27533372, 27533355, 27533632, 66320407/0408/6401/6402, **Kochi:** Tel: 0484-4099000, **Vizag:** Tel: 0891-6514339, **Vijayawada:** Tel: +91-9247058847/57, **Calicut:** 0495-4019194, **Madurai:** 0452-4267022, **Trivandrum:** 0471-4015323, **Hubli:** 09448146028, **Trichy:** 09944460160

Representative Offices: • Goa • Solapur • Gwalior • Kathmandu • Bhopal

Scan the QR Code
to download
Havells mCatalogue



Havells India Ltd.

QRG Towers, 2D, Sector -126, Expressway, Noida - 201 304 (UP), Ph. +91-120-3331000,
E-mail: marketing@havells.com, www.havells.com
Consumer Care No.: 1800 11 0303, 1800 103 1313 (All Connections), 011-4166 0303 (Landline)
Join us on Facebook at www.facebook.com/havells and share your ways to save the planet!
CIN - L31900DL1983PLC016304.

