

Energizing Life in Safety



Retail Price List - India 2017

Channel Partner:
Western Region



D.K. Enterprise

D.K. Enterprise

OPENING DEVICE

A specific device made of nickel-plated steel, allows fast opening and closing of plugs and sockets MAXIMUS. The fast opening device reduces the cabling time as it needs just a light pressure with a tool for the openings, while for the closing it is necessary just a simple rotation between the handle and the plug or socket.



CLAMPS

All the screws of the clamps are directed in the same direction, so that it is not necessary to turn the plug or sockets during the cabling operations. The tightening of all the screws can be effected with a blade or cross screwdriver. All the screws are given completely unscrewed in order to get faster the cabling operations. Using the locking screws of the clamps the maximum passing of the current is warranted.



TOTAL QUALITY

The crown of the plugs MAXIMUS is reinforced as it is highly exposed to collisions and crushing



Fig 1



CABLE BLOCK GLAND

Fig 1 The cable block gland is composed of the handle (A) watertight neoprene washer, (B) clamps for tearing resistance (C) crown for handle the clamps (D) threaded nut (E).

Fig 2



Fig 2

Put the rubber washer (B) the clamps (C) and the crown (D) in the cone of the handle (A). The nut will lock everything.

Fig 3



Fig 3

The cable locking is effected by turning the nut (A) in a clockwise direction, getting easy all the cabling operations without using any other tool.

Fig 4



Fig 4

Example of assembling and fast cabling. All the sockets MAXIMUS are endowed with cable block gland system already mounted. The user have just to thread the cable, mount and lock the ferrules of the cables to the contacts, hook the handle to the plug or socket and turn to right, block the braiding nut. This operation grants the resistance to tearings of the cables and the protection degree.

Industrial

Energizing Lives with Safety



Product Code	Product Description	Voltage	List Price (LP) INR ₹
INDUSTRIAL PLUGS IP44			
MR 9101	Movable plug 16A 2P+E	110 ÷ 130V	249
MR 9213	Movable plug 16A 2P+E	220 ÷ 240V	271
MR 9214	Movable plug 16A 3P+E	380 ÷ 415V	363
MR 9215	Movable plug 16A 3P+N+E	380 ÷ 415V	363
MR 9413	Movable plug 32A 2P+E	220 ÷ 240V	439
MR 9414	Movable plug 32A 3P+E	380 ÷ 415V	534
MR 9415	Movable plug 32A 3P+N+E	380 ÷ 415V	515
INDUSTRIAL SOCKET IP44			
MR 9001	Movable connector 16A 2P+E	110 ÷ 130V	354
MR 9223	Movable connector 16A 2P+E	220 ÷ 240V	368
MR 9224	Movable connector 16A 3P+E	380 ÷ 415V	506
MR 9225	Movable connector 16A 3P+N+E	380 ÷ 415V	487
MR 9523	Movable connector 32A 2P+E	220 ÷ 240V	502
MR 9524	Movable connector 32A 3P+E	380 ÷ 415V	714
MR 9525	Movable Connector 32A 3P+N+E	380 ÷ 415V	664
ANGLED Panel Sockets IP 44			
MR 6001Q	Panel Sockets IP44 16A 2P+E	220 ÷ 240V	334
MR 6002Q	Panel Sockets IP44 16A 3P+E	380 ÷ 415V	506
MR 6003Q	Panel Sockets IP44 16A 3P+N+E	380 ÷ 415V	506
MR 6004Q	Panel Sockets IP44 32A 2P+E	220 ÷ 240V	525
MR 6005Q	Panel Sockets IP44 32A 3P+E	380 ÷ 415V	658
MR 6006Q	Panel Sockets IP44 32A 3P+N+E	380 ÷ 415V	658
WALL MOUNTING SOCKET IP 44			
MR 2502	Wall Socket 16A 2P+E	220 ÷ 240V	534
MR 2505	Wall Socket 16A 3P+E	380 ÷ 415V	609
MR 2515	Wall Socket 16A 3P+N+E	380 ÷ 415V	599
MR 2511	Wall Socket 32A 2P+E	220 ÷ 240V	702
MR 2516	Wall Socket 32A 23P+E	380 ÷ 415V	735
MR 2517	Wall Socket 32A 3P+N+E	380 ÷ 415V	721
INTERLOCK WITHOUT FUSE HOLDER COMPACT VERSION IP 44			
MR 3214B6	Wall interlocked sockets IP44 16A 2P+E	220 ÷ 240V	2750
MR 3314R6	Wall interlocked sockets IP44 16A 3P+E	380 ÷ 415V	3250
MR 3414R6	Wall interlocked sockets IP44 16A 3P+N+E	380 ÷ 415V	4350
MR 3234B6	Wall interlocked sockets IP44 32A 2P+E	220 ÷ 240V	3200
MR 3334R6	Wall interlocked sockets IP44 32A 3P+E	380 ÷ 415V	4000
MR 3434R6	Wall interlocked sockets IP44 32A 3P+N+E	380 ÷ 415V	4150



Industrial

Energizing Lives with Safety



Product Code	Product Description	Voltage	List Price (LP) INR ₹
<u>PANEL INTERLOCK SOCKETS IP 44</u>			
MR 3214B6-1	Panel interlocked sockets IP44 16A 2P+E	220 ÷ 240V	6753
MR 3234B6-1	Panel interlocked sockets IP44 32A 2P+E	220 ÷ 240V	6763
MR 3434R6-1	Panel interlocked sockets IP44 32A 3P+N+E	380 ÷ 415V	6764
<u>INDUSTRIAL PLUGS IP67</u>			
MR 9151	Movable plug 16A 2P+E IP67	110 ÷ 130V	736
MR 8213	Movable plug 16A 2P+E IP67	220 ÷ 240V	620
MR 8214	Movable plug 16A 3P+E IP67	380 ÷ 415V	801
MR 8215	Movable plug 16A 3P+N+E IP67	380 ÷ 415V	813
MR 8413	Movable plug 32A 2P+E IP67	220 ÷ 240V	914
MR 8414	Movable plug 32A 3P+E IP67	380 ÷ 415V	944
MR 8415	Movable plug 32A 3P+N+E IP67	380 ÷ 415V	1313
MR 9159	Movable plug 63A 2P+E IP67	220 ÷ 240V	2461
MR 9161	Movable plug 63A 3P+E IP67	380 ÷ 415V	2624
MR 9162	Movable plug 63A 3P+N+E IP67	380 ÷ 415V	2585
MR 9170	Movable plug 125A 2P+E IP67	230 ÷ 240V	11630
MR 9188	Movable plug 125A 3P+E IP67	380 ÷ 415V	11633
MR 9187	Movable plug 125A 3P+N+E IP67	380 ÷ 415V	11638
<u>INDUSTRIAL SOCKET IP67</u>			
MR 9051	Movable connector 16A 2P+E IP67	110 ÷ 130V	891
MR 8223	Movable connector 16A 2P+E IP67	220 ÷ 240V	861
MR 8224	Movable connector 16A 3P+E IP67	380 ÷ 415V	1088
MR 8225	Movable connector 16A 3P+N+E IP67	380 ÷ 415V	1088
MR 8523	Movable connector 32A 2P+E IP67	220 ÷ 240V	1248
MR 8524	Movable connector 32A 3P+E IP67	380 ÷ 415V	1336
MR 8525	Movable connector 32A 3P+N+E IP67	380 ÷ 415V	1336
MR 9059	Movable connector 63A 2P+E IP67	220 ÷ 240V	2841
MR 9061	Movable connector 63A 3P+E IP67	380 ÷ 415V	2728
MR 9062	Movable connector 63A 3P+N+E IP67	380 ÷ 415V	2728
MR 9070	Movable connector 125A 2P+E IP67	230 ÷ 240V	8255
MR 9088	Movable connector 125A 3P+E IP67	380 ÷ 415V	8809
MR 9087	Movable connector 125A 3P+N+E IP67	380 ÷ 415V	7965

Industrial

Energizing Lives with Safety



www.maximusonline.co.uk



Product Code	Product Description	Voltage	List Price (LP) INR ₹
ANGLED SOCKET IP67			
MR 7001Q	Panel Sockets 16A 2P+E IP67	220 ÷ 240V	687
MR 7002Q	Panel Sockets 16A 3P+E IP67	380 ÷ 415V	744
MR 7003Q	Panel Sockets 16A 3P+N+E IP67	380 ÷ 415V	744
MR 7004Q	Panel Sockets 32A 2P+E IP67	220 ÷ 240V	887
MR 7005Q	Panel Sockets 32A 3P+E IP67	380 ÷ 415V	1007
MR 7006Q	Panel Sockets 32A 3P+N+E IP67	380 ÷ 415V	1030
MR 7016Q/MR 1363	Panel Sockets 63A 2P+E IP67	220 ÷ 240V	2748
MR 7018Q/MR 1368	Panel Sockets 63A 3P+E IP67	380 ÷ 415V	2547
MR 7019Q/MR 1369	Panel Sockets 63A 3P+N+E IP67	380 ÷ 415V	2547
MR 1377	Panel Sockets 125A 2P+E IP67	220 ÷ 240V	8775
MR 1375	Panel Sockets 125A 3P+E IP67	380 ÷ 415V	8323
MR 1376	Panel Sockets 125A 3P+N+E IP67	380 ÷ 415V	9036
WALL MOUNTING SOCKET IP67			
MR 2552	Wall Socket 16A 2P+E IP67	220 ÷ 240V	916
MR 2555	Wall Socket 16A 3P+E IP67	380 ÷ 415V	1126
MR 2565	Wall Socket 16A 3P+N+E IP67	380 ÷ 415V	1126
MR 2561	Wall Socket 32A 2P+E IP67	220 ÷ 240V	1135
MR 2566	Wall Socket 32A 3P+E IP67	380 ÷ 415V	1257
MR 2567	Wall Socket 32A 3P+N+E IP67	380 ÷ 415V	1288
MR 1263	Wall Socket 63A 2P+E IP67	220 ÷ 240V	3213
MR 1268	Wall Socket 63A 3P+E IP67	380 ÷ 415V	3038
MR 1269	Wall Socket 63A 3P+N+E IP67	380 ÷ 415V	3038
INTERLOCK WITHOUT FUSE HOLDER COMPACT VERSION IP 67			
MR 3216B6	Wall interlocked sockets IP67 16A 2P+E	220 ÷ 240V	3600
MR 3316R6	Wall interlocked sockets IP67 16A 3P+E	380 ÷ 415V	3850
MR 3416R6	Wall interlocked sockets IP67 16A 3P+N+E	380 ÷ 415V	3750
MR 3232B6	Wall interlocked sockets IP67 32A 2P+E	220 ÷ 240V	4250
MR 3332B6	Wall interlocked sockets IP67 32A 3P+E	220 ÷ 240V	4250
MR 3432R6	Wall interlocked sockets IP67 32A 3P+N+E	380 ÷ 415V	6000
IIINTERLOCK SOSCKETS WITH MCB IP 67			
MR 16.263G4MT	Interlock sockets with MCB IP67 63A 2P + E 110 ÷ 130V		on request
MR 16.363G4MT	Interlock sockets with MCB IP67 63A 3P + E 110 ÷ 130V		on request
MR 16.263B6MT	Interlock sockets with MCB IP67 63A 2P + E 220 ÷ 240V		on request
MR 16.263B9MT	Interlock sockets with MCB IP67 63A 3P + E 220 ÷ 240V		on request
MR 16.363R6MT	Interlock sockets with MCB IP67 63A 3P + E 380 ÷ 415V		13939
MR 16.463R6MT	Interlock sockets with MCB IP67 63A 3P + N + E 380 ÷ 415V		15120
MR 16.263N7MT	Interlock sockets with MCB IP67 63A 2P + E 500V		on request
MR 16.363N7MT	Interlock sockets with MCB IP67 63A 3P + E 500V		on request
MR 16.463N7MT	Interlock sockets with MCB IP67 63A 3P + N + E 500V		on request



Industrial

Energizing Lives with Safety



www.maximusonline.co.uk



Product Code	Product Description	List Price (LP) INR ₹
<u>SURFACE MOUNTING JUNCTION BOXES IP55</u>		
MR RS13404	Surface Mounting Junction box IP55 100x100x50 mm	240
MR RS13414	Surface Mounting Junction box IP55 120x80x50mm	300
MR RS13405	Surface Mounting Junction box IP55 150x110x70 mm	450
MR RS13406	Surface Mounting Junction box IP55 190x140x70 mm	800
MR RS13407	Surface Mounting Junction box IP55 240x190x90 mm	1120
MR RS13408	Surface Mounting Junction box IP55 300x220x20mm	2500
MR RS13409	Surface Mounting Junction box IP55 380x300x120mm	3900
<u>BOX WITH CABLE SLEEVES IP44</u>		
MR RS13401	Box with cable sleeves IP44 Ø 65 x 35	85
MR RS13402	Box with cable sleeves IP44 Ø80 X 40	135
MR RS13403	Box with cable sleeves IP44 80 X 80 40	135
<u>SURFACE MOUNTING JUNCTION BOXES IP56</u>		
MR RS13504	Surface Mounting Junction box IP65 100x100x50mm	220
MR RS13514	Surface Mounting Junction box 120x80x50mm	220
MR RS13505	Surface Mounting Junction box IP65 150x110x70mm	350
MR RS13506	Surface Mounting Junction box IP65 190x140x70mm Blank Cover	700
MR RS13507	Surface Mounting Junction box 240 x 190 x 90 mm	1050
MR RS13508	Surface Mounting Junction box 300 x 220 x 120 mm	1900
MR RS13509	Surface Mounting Junction box 380 x 300 x 120 mm	3150
<u>SURFACE MOUNTING Consumer Distribution board IP65</u>		
MR RS14504	4 Module Distribution Box	1200
MR RS14508	8 Module Distribution Box	1525
MR RS14512	12 Module Distribution Box	2950
MR RS14524	24 Module Distribution Box	4425
<u>KAABLEREEL</u>		
MR CL 44254BN	Cablereel UK- 25 mt 3 x 1.5mm, 3 x 13A socket	6400
MR CL44504BN	Cablereel UK- 50 mt 3 x 1.5 mm, 3 x 13A socket	10500
MR CL44255BN	Cablereel UK- 25 mt 3 x 2.5 mm, 3 x 13A socket	6950
MR CL 44405BN	Cablereel UK- 40 mt 3 X 2.5 mm, 3 x 13A socket	12000
MR PRNP93255	Cablereel UK- 25 mt 3 x 2.5 mm, 2 x 16A socket	19000
MR 4001	Cablereel 30MT H07RN-F 3X2.5 mm +3 PRESE 2P+ 16A	21500



INDUSTRIAL PRODUCT RANGE



ENDURAA



KAABLEREEL



ALUPAACK



CONSERVAA



MAAXPACK



ASD PANELS



NOVA



SECURAA
ACCESSORIES



MOTOR SWITCH
BREAKER



MASTERGUARD



AQUAAGUARD



EXACTAA



DISCONNECTAA



ACCESSORIES



- So this all products are designed for safety and reliability in use.
- MAXIMUS product range are Safe, Solid and Time-saving as compare to others/
- This products mainly provides High impact strength as it is Resistance to sudden changes in temperature and also provide High insulation resistance.

Application:

- Building and construction industry as well as for Hotel industry.
- Chemical and heavy industry.
- Power generation and Distribution.
- Oil and gas industry (non hazardous area).
- Industrial and commercial properties
- Harbor installation, ship yards & shipping lines.
- Food processing and packaging.
- Mining & Tunneling.
- Agriculture and farming.
- Film, TV, Outdoor Events.

TERMS & CONDITIONS

1. Prices are in Indian currency Rs.
2. All Prices are List Price (LP Rs.) inclusive of GST. Freight/Delivery Charges if paid by maximus shall be on behalf of customer only.
3. Goods are despatched by us on Purchaser's risk. All claims for loss, damage or shortage will be filed by the Purchasers directly with the carriers.
4. Disputes, if any are subject to Bangalore Jurisdiction only.
5. List Price supersedes all our previous Price Lists.
6. Prices are subject to change without notice.
7. Company reserves the right to issue amendments, which may arise due to any errors in the price list.

D.K. Enterprise

M/S D.K. Enterprise
8/2, Devkaran Mension, 1st Floor, Vithaldas Road,
Lohar Chawl, Marine Lines, Mumbai - 400 002.
Tel.: 22005511 / 22005522 / 22075511
E-mail ID : sales@dkenter.com

Maximus India Integrated Technologies Private Limited
1246, "Krishna", 10th main Road, 12th B Cross,
West of Chord Road 2nd Stage, Mahalakshmpuram,
Bangalore - 560 086, Karnataka, India
Tel: +91 8023492125 Fax: +91 8023492175
Email: hari@maximusonline.co.uk india@maximusonline.co.uk